



93 Beattie Street Balmain NSW 2041 Australia  
T. 02 9555 9034 | F. 02 9555 9035  
info@airsafe.net.au | www.airsafe.net.au  
ABN 36 609 424 946

## AIR MONITORING SUMMARY

Airsafe conducted air monitoring for airborne asbestos fibres at the 55247 Liverpool Hospital Carpark site for the period of 3rd February 2021- 27<sup>th</sup> February 2021.

The following table provides a summary of any exceedances during the air monitoring period.

Date of Exceedance	Exceedance Data	Cause of Exceedance	Project Response
Nil	Nil	Nil	Nil

The results and criteria can be found on the test result reports.

Liverpool Hospital Carpark - 75 Elizabeth Street, Liverpool - FEBRUARY

Eastern Monitor Location			
DATE	RESULT	FIELDS	FIBRES
03.02.21	0	100	0
04.02.21	0	100	0
05.02.21	0	100	0
06.02.21	0	100	0
08.02.21	0	100	0
09.02.21	0	100	0
10.02.21	0	100	0
11.02.21	0	100	0
12.02.21	0	100	0
15.02.21	0	100	0
16.02.21	0	100	0
17.02.21	0	100	0
18.02.21	0	100	0
19.02.21	0	100	0
20.02.21	0	100	0
22.02.21	0	100	0
23.02.21	0	100	0
24.02.21	0	100	0
25.02.21	0	100	0
26.02.21	0	100	0
27.02.21	0	100	0

Liverpool Hospital Carpark - 75 Elizabeth Street, Liverpool - FEBRUARY

Northern Monitor Location			
DATE	RESULT	FIELDS	FIBRES
03.02.21	0	100	0
04.02.21	0	100	0
05.02.21	0	100	0
06.02.21	0	100	0
08.02.21	0	100	0
09.02.21	0	100	0
10.02.21	0	100	0
11.02.21	0	100	0
12.02.21	0	100	0
15.02.21	0	100	0
16.02.21	0	100	0
17.02.21	0	100	0
18.02.21	0	100	0
19.02.21	0	100	0
20.02.21	0	100	0
22.02.21	0	100	0
23.02.21	0	100	0
24.02.21	0	100	0
25.02.21	0	100	0
26.02.21	0	100	0
27.02.21	0	100	0

Liverpool Hospital Carpark - 75 Elizabeth Street, Liverpool - FEBRUARY

Southern Monitor Location			
DATE	RESULT	FIELDS	FIBRES
03.02.21	0	100	0
04.02.21	0	100	0
05.02.21	0	100	0
06.02.21	0	100	0
08.02.21	0	100	0
09.02.21	0	100	0
10.02.21	0	100	0
11.02.21	0	100	0
12.02.21	0	100	0
15.02.21	0	100	0
16.02.21	0	100	0
17.02.21	0	100	0
18.02.21	0	100	0
19.02.21	0	100	0
20.02.21	0	100	0
22.02.21	0	100	0
23.02.21	0	100	0
24.02.21	0	100	0
25.02.21	0	100	0
26.02.21	0	100	0
27.02.21	0	100	0

Liverpool Hospital Carpark - 75 Elizabeth Street, Liverpool - FEBRUARY

Western Monitor Location			
DATE	RESULT	FIELDS	FIBRES
03.02.21	0	100	0
04.02.21	0	100	0
05.02.21	0	100	0
06.02.21	0	100	0
08.02.21	0	100	0
09.02.21	0	100	0
10.02.21	0	100	0
11.02.21	0	100	0
12.02.21	0	100	0
15.02.21	0	100	0
16.02.21	0	100	0
17.02.21	0	100	0
18.02.21	0	100	0
19.02.21	0	100	0
20.02.21	0	100	0
22.02.21	0	100	0
23.02.21	0	100	0
24.02.21	0	100	0
25.02.21	0	100	0
26.02.21	0	100	0
27.02.21	0	100	0

## TEST REPORT

February 4, 2021

**Jeffsan Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hardi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	03/02/21
Date of Analysis:	04/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 1	Site Perimeter – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 2	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 3	Carpark – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 - 4	Fence Adjacent Offices – South of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 5, 2021

**Jeffsan Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hardi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	04/02/21
Date of Analysis:	05/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 5	Site Perimeter – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 6	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 7	Carpark – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 - 8	Fence Adjacent Offices – South of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 8, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	05/02/21
Date of Analysis:	08/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 9	Site Perimeter timber boarder – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 10	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 11	Carpark – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 - 12	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 8, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	06/02/21
Date of Analysis:	08/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 17	Site Perimeter timber boarder – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 18	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 19	Carpark – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 - 20	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 9, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	08/02/21
Date of Analysis:	09/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 21	Site Perimeter timber boarder – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 22	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 23	Carpark – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 - 24	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 10, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	09/02/21
Date of Analysis:	10/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 25	Site Perimeter timber boarder – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 26	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 27	Carpark – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 - 28	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 11, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	10/02/21
Date of Analysis:	11/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 29	Site Perimeter timber boarder – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 30	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 31	Carpark – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 - 32	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 12, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	11/02/21
Date of Analysis:	12/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 31	Site Perimeter timber boarder, adjacent carpark – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 32	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 33	Site perimeter fencing, adjacent footpath – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 - 34	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 15, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	12/02/21
Date of Analysis:	15/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 35	Site Perimeter timber boarder, adjacent carpark – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 36	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 37	Site perimeter fencing, adjacent footpath – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 – 38	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 16, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	15/02/21
Date of Analysis:	16/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 39	Site Perimeter timber boarder, adjacent carpark – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 40	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 41	Site perimeter fencing, adjacent footpath – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 – 42	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 18, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	16/02/21
Date of Analysis:	18/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 43	Site Perimeter timber boarder, adjacent carpark – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 44	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 45	Site perimeter fencing, adjacent footpath – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 – 46	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 18, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	17/02/21
Date of Analysis:	18/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 47	Site Perimeter timber boarder, adjacent carpark – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 48	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 49	Site perimeter fencing, adjacent footpath – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 – 50	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 19, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	18/02/21
Date of Analysis:	19/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 51	Site Perimeter timber boarder, adjacent carpark – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 52	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 53	Site perimeter fencing, adjacent footpath – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 – 54	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 22, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	19/02/21
Date of Analysis:	22/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 55	Site Perimeter timber boarder, adjacent carpark – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 56	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 57	Site perimeter fencing, adjacent footpath – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 – 58	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 22, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	20/02/21
Date of Analysis:	22/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 59	Site Perimeter timber boarder, adjacent carpark – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 60	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 61	Site perimeter fencing, adjacent footpath – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 – 62	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 23, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	22/02/21
Date of Analysis:	23/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**
**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 63	Site Perimeter timber boarder, adjacent carpark – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 64	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 65	Site perimeter fencing, adjacent footpath – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 – 66	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 24, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	23/02/21
Date of Analysis:	24/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 67	Site Perimeter timber boarder, adjacent carpark – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 68	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 69	Site perimeter fencing, adjacent footpath – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 – 70	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 25, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	24/02/21
Date of Analysis:	25/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 71	Site Perimeter timber boarder, adjacent carpark – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 72	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 73	Site perimeter fencing, adjacent footpath – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 – 74	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

February 26, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	25/02/21
Date of Analysis:	26/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 75	Site Perimeter timber boarder, adjacent carpark – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 76	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 77	Site perimeter fencing, adjacent footpath – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 – 78	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

March 1, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	26/02/21
Date of Analysis:	01/03/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 79	Site Perimeter timber boarder, adjacent carpark – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 80	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 81	Site perimeter fencing, adjacent footpath – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 – 82	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents

## TEST REPORT

March 1, 2021

**Jeffsann Excavations**  
457 Castlereagh Road,  
AGNES BANKS NSW 2753

Your Reference: Liverpool Hospital Carpark  
Job Number: 55247

**Attention:** Hadi Farahpour

Dear Hadi

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	4 Filters
Date of Sampling:	27/02/21
Date of Analysis:	01/02/21
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully  
AIRSAFE OHC PTY LTD



Huy Tran  
Approved Counter and Signatory

**PROJECT: Liverpool Hospital Carpark**

**JOB NO: 55247**

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
55247 – 83	Site Perimeter timber boarder, adjacent carpark – West of Works	0700	1500	480	2.0	100	0	<0.01
55247 – 84	Site Fencing Adjacent High School – North of Works	0701	1501	480	2.0	100	0	<0.01
55247 – 85	Site perimeter fencing, adjacent footpath – East of Works	0702	1502	480	2.0	100	0	<0.01
55247 – 86	Fence Adjacent Site Offices – Southwest of Works	0703	1503	480	2.0	100	0	<0.01

**Method:** Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

**Sampling:** All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

**Quality Control:** A field blank is taken and analysed for each batch of samples.

**Environmental Conditions:** Background Air Monitoring

**Comment:** These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

**Disclaimer:** N/A

**Note:** Times are provided for customer reference only and do not form part of the facility's accreditation for volume measurement.

The results relate only to the samples tested. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents