

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

03 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.59-AAM1.v1-02/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 02/05/2022  
**Sample Analysis Date:** 03/05/2022  
**Period of Sampling:** 05/02/2022 07:23 AM - 02/05/2022 03:27 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.59/S077/020522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.59/S509/020522	MSCP site, fencing adj. Redbank Rd, west end	1.0/100	<0.01
S110355.59/S978/020522	MSCP site, fencing adj. Redbank Rd, east end	0.0/100	<0.01
S110355.59/S821/020522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.59/S281/020522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.59/S895/020522	MSCP site, southwest end, adj. small courtyard, fencing	1.0/100	<0.01
S110355.59/S128/020522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.59/S168/020522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.59/S615/020522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.59/S942/020522	PSB site, eastern end, fencing behind site sheds	0.5/100	<0.01
S110355.59/S642/020522	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

03 May 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

03 May 2022

## APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

03 May 2022



S110355.59-AAM1.v1-ControlAsbestosAirMonitoringReport-020522

Page 4 of 4



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

04 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.60-AAM1.v1-03/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 03/05/2022  
**Sample Analysis Date:** 04/05/2022  
**Period of Sampling:** 03/05/2022 07:03 AM - 03/05/2022 03:27 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092                      **Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.60/S811/030522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.60/S735/030522	MSCP site, fencing adj. Redbank Rd, west end	1.0/100	<0.01
S110355.60/S603/030522	MSCP site, fencing adj. Redbank Rd, east end	1.0/100	<0.01
S110355.60/P46/030522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.60/S703/030522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.60/S055/030522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.60/S715/030522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.60/S196/030522	PSB site, western end, fencing along CASB loading dock.	1.0/100	<0.01
S110355.60/S050/030522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.60/S132/030522	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.60/S101/030522	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

04 May 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

04 May 2022

### **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

04 May 2022



S110355.60-AAM1.v1-ControlAsbestosAirMonitoringReport-030522

Page 4 of 4



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

05 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.61-AAM1.v1-04/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 04/05/2022  
**Sample Analysis Date:** 05/05/2022  
**Period of Sampling:** 04/05/2022 07:03 AM - 04/05/2022 03:27 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092 **Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.61/S090/040522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.61/S984/040522	MSCP site, fencing adj. Redbank Rd, west end	0.0/100	<0.01
S110355.61/S780/040522	MSCP site, fencing adj. Redbank Rd, west end	0.0/100	<0.01
S110355.61/S176/040522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	1.0/100	<0.01
S110355.61/S902/040522	PSB site, eastern end, fencing behind site sheds	2.0/100	<0.01
S110355.61/S000/040522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.61/S285/040522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.61/S733/040522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.61/S210/040522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.61/S654/040522	PSB site, eastern end, fencing behind site sheds	1.5/100	<0.01
S110355.61/S234/040522	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

05 May 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

05 May 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

05 May 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

06 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.62-AAM1.v1-05/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 05/05/2022  
**Sample Analysis Date:** 06/05/2022  
**Period of Sampling:** 05/05/2022 07:05 AM - 05/05/2022 03:29 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092                      **Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.62/S756/050522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.62/S800/050522	MSCP site, fencing adj. Redbank Rd, west end	1.5/100	<0.01
S110355.62/S822/050522	MSCP site, fencing adj. Redbank Rd, east end	0.0/100	<0.01
S110355.62/S953/050522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.5/100	<0.01
S110355.62/S959/050522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.62/S629/050522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.62/S895/050522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.62/S182/050522	PSB site, western end, fencing along CASB loading dock.	2.0/100	<0.01
S110355.62/S982/050522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.62/S974/050522	PSB site, eastern end, fencing behind site sheds	3.0/100	<0.01
S110355.62/S207/050522	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

06 May 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

06 May 2022

### APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

06 May 2022



S110355.62-AAM1.v1-ControlAsbestosAirMonitoringReport-050522

Page 4 of 4



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.63-AAM1.v1-06/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 06/05/2022  
**Sample Analysis Date:** 09/05/2022  
**Period of Sampling:** 06/05/2022 07:04 AM - 06/05/2022 03:28 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092                      **Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.63/S100/060522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.63/S205/060522	MSCP site, fencing adj. Redbank Rd, west end	0.0/100	<0.01
S110355.63/S349/060522	MSCP site, fencing adj. Redbank Rd, east end	0.0/100	<0.01
S110355.63/S449/060522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.63/S167/060522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.63/S348/060522	MSCP site, southwest end, adj. small courtyard, fencing	1.0/100	<0.01
S110355.63/S074/060522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.63/S672/060522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.63/S317/060522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.63/S337/060522	PSB site, eastern end, fencing behind site sheds	1.0/100	<0.01
S110355.63/S000/060522	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 May 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

09 May 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 May 2022



S110355.63-AAM1.v1-ControlAsbestosAirMonitoringReport-060522

Page 4 of 4



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.64-AAM1.v1-07/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 07/05/2022  
**Sample Analysis Date:** 09/05/2022  
**Period of Sampling:** 07/05/2022 07:00 AM - 07/05/2022 03:00 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092                      **Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.64/S200/070522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.64/S194/070522	MSCP site, fencing adj. Redbank Rd, west end	0.0/100	<0.01
S110355.64/S338/070522	MSCP site, fencing adj. Redbank Rd, east end	0.0/100	<0.01
S110355.64/S238/070522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.64/S038/070522	MSCP site, southeast end of site, adj site sheds, fencing	1.0/100	<0.01
S110355.64/S237/070522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.64/S963/070522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.64/S561/070522	PSB site, western end, fencing along CASB loading dock.	1.0/100	<0.01
S110355.64/S206/070522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.64/S226/070522	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.64/S001/070522	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 May 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

09 May 2022

### **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 May 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

10 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.65-AAM1.v1-09/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 09/05/2022  
**Sample Analysis Date:** 10/05/2022  
**Period of Sampling:** 09/05/2022 07:01 AM - 09/05/2022 03:25 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.65/S204/090522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.65/S777/090522	MSCP site, fencing adj. Redbank Rd, west end	0.0/100	<0.01
S110355.65/S736/090522	MSCP site, fencing adj. Redbank Rd, east end	0.0/100	<0.01
S110355.65/S969/090522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.65/S947/090522	MSCP site, southeast end of site, adj site sheds, fencing	2.0/100	<0.01
S110355.65/S194/090522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.65/S221/090522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.65/S984/090522	PSB site, western end, fencing along CASB loading dock.	1.0/100	<0.01
S110355.65/S980/090522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.65/S982/090522	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.65/S494/090522	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

10 May 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

10 May 2022

### **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

10 May 2022



S110355.65-AAM1.v1-ControlAsbestosAirMonitoringReport-090522

Page 4 of 4



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

11 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.66-AAM1.v1-10/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 10/05/2022  
**Sample Analysis Date:** 11/05/2022  
**Period of Sampling:** 10/05/2022 07:01 AM - 10/05/2022 03:25 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.66/S227/100522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.66/S089/100522	MSCP site, fencing adj. Redbank Rd, west end	0.0/100	<0.01
S110355.66/S576/100522	MSCP site, fencing adj. Redbank Rd, east end	0.0/100	<0.01
S110355.66/S619/100522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.66/S635/100522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.66/S970/100522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.66/S560/100522	PSB site, northern end, fencing along Redbank Rd.	1.0/100	<0.01
S110355.66/S957/100522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.66/S826/100522	PSB site, southern end, fencing along laneway	1.0/100	<0.01
S110355.66/S945/100522	PSB site, eastern end, fencing behind site sheds	1.0/100	<0.01
S110355.66/S426/100522	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

11 May 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

11 May 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

11 May 2022



S110355.66-AAM1.v1-ControlAsbestosAirMonitoringReport-100522

Page 4 of 4



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

12 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.67-AAM1.v1-11/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 11/05/2022  
**Sample Analysis Date:** 12/05/2022  
**Period of Sampling:** 11/05/2022 07:00 AM - 11/05/2022 03:48 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 25, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092 **Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.67/S893/110522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.67/S756/110522	MSCP site, fencing adj. Redbank Rd, west end	0.0/100	<0.01
S110355.67/S650/110522	MSCP site, fencing adj. Redbank Rd, east end	0.0/100	<0.01
S110355.67/S336/110522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.67/S223/110522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.67/S526/110522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.67/S291/110522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.67/S340/110522	PSB site, western end, fencing along CASB loading dock.	1.0/100	<0.01
S110355.67/S806/110522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.67/S016/110522	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.67/S539/110522	Mons Road Compound, Northeast of Compound	0.0/100	<0.01
S110355.67/S797/110522	Mons Road Compound, Southwest of Compound	1.0/100	<0.01

S110355.67-AAM1.v1-ControlAsbestosAirMonitoringReport-110522

Page 1 of 4

**Safe Work and Environments Pty Ltd 88127010995**

Suite 15, 103 Majors Bay Road, Concord NSW 2137

Phone: 02 8757 3611

Email: [info@swe.com.au](mailto:info@swe.com.au)

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

12 May 2022

S110355.67/S306/110522	Field Blank	0.0/100	NA
------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

12 May 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

12 May 2022



S110355.67-AAM1.v1-ControlAsbestosAirMonitoringReport-110522

Page 4 of 4



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

13 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.68-AAM1.v1-12/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 12/05/2022  
**Sample Analysis Date:** 13/05/2022  
**Period of Sampling:** 12/05/2022 06:59 AM - 12/05/2022 03:23 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092 **Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.68/S007/120522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.68/S511/120522	MSCP site, fencing adj. Redbank Rd, west end	0.0/100	<0.01
S110355.68/S846/120522	MSCP site, fencing adj. Redbank Rd, west end	0.0/100	<0.01
S110355.68/S852/120522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.68/P21/120522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.68/S987/120522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.68/S484/120522	PSB site, northern end, fencing along Redbank Rd.	1.0/100	<0.01
S110355.68/S140/120522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.68/S587/120522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.68/P93/120522	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.68/S491/120522	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

13 May 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

13 May 2022

## APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

13 May 2022



S110355.68-AAM1.v1-ControlAsbestosAirMonitoringReport-120522

Page 4 of 4



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.69-AAM1.v1-13/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 13/05/2022  
**Sample Analysis Date:** 16/05/2022  
**Period of Sampling:** 13/05/2022 07:00 AM - 13/05/2022 03:42 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092 **Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.69/S848/130522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.69/S038/130522	MSCP site, fencing adj. Redbank Rd, west end	0.0/100	<0.01
S110355.69/S590/130522	MSCP site, fencing adj. Redbank Rd, east end	0.0/100	<0.01
S110355.69/S897/130522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	2.0/100	<0.01
S110355.69/S620/130522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.69/S558/130522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.69/S233/130522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.69/S757/130522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.69/S824/130522	PSB site, southern end, fencing along laneway	1.0/100	<0.01
S110355.69/S816/130522	PSB site, eastern end, fencing behind site sheds	2.0/100	<0.01
S110355.69/S119/130522	Mons Road West of compound, adjacent site gate	3.0/100	<0.01
S110355.69/S62/130522	Mons Road, North of compound, on fence	0.0/100	<0.01

S110355.69-AAM1.v1-ControlAsbestosAirMonitoringReport-130522

Page 1 of 4

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 May 2022

S110355.69/S131/130522	Field Blank	0.0/100	NA
------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 May 2022

## APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 May 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.70-AAM1.v1-14/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 14/05/2022  
**Sample Analysis Date:** 16/05/2022  
**Period of Sampling:** 14/05/2022 06:59 AM - 14/05/2022 03:00 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092                      **Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.70/S958/140522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.70/S853/140522	MSCP site, fencing adj. Redbank Rd, west end	2.0/100	<0.01
S110355.70/S732/140522	MSCP site, fencing adj. Redbank Rd, east end	1.0/100	<0.01
S110355.70/S960/140522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.70/S096/140522	MSCP site, southeast end of site, adj site sheds, fencing	1.0/100	<0.01
S110355.70/S010/140522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.70/S925/140522	PSB site, northern end, fencing along Redbank Rd.	1.0/100	<0.01
S110355.70/S817/140522	PSB site, western end, fencing along CASB loading dock.	1.0/100	<0.01
S110355.70/S181/140522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.70/S496/140522	PSB site, eastern end, fencing behind site sheds	1.0/100	<0.01
S110355.70/S339/140522	Mons Road, West of compound, adjacent site gate	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 May 2022

S110355.70/S465/140522	Mons Road, North of compound, on fence	0.0/100	<0.01
S110355.70/S242/140522	Field Blank	0.0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

16 May 2022

### **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 May 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

17 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.71-AAM1.v1-16/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 16/05/2022  
**Sample Analysis Date:** 17/05/2022  
**Period of Sampling:** 16/05/2022 06:58 AM - 16/05/2022 03:38 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092                      **Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.71/S926/160522	MSCP site, northwest end of site, adj old maintenance car park, fencing	3.0/100	<0.01
S110355.71/S190/160522	MSCP site, fencing adj. Redbank Rd, west end	0.0/100	<0.01
S110355.71/S231/160522	MSCP site, fencing adj. Redbank Rd, east end	0.0/100	<0.01
S110355.71/S525/160522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.71/S740/160522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.71/S894/160522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.71/S724/160522	PSB site, northern end, fencing along Redbank Rd.	1.0/100	<0.01
S110355.71/S626/160522	PSB site, western end, fencing along CASB loading dock.	1.0/100	<0.01
S110355.71/S192/160522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.71/S334/160522	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.71/S408/160522	Mons Road, southwest of compound, adjacent site gate	2.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

17 May 2022

S110355.71/S198/160522	Mons Road, northeast of compound, on fence	0.0/100	<0.01
S110355.71/S888/160522	Field Blank	0.0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

17 May 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

17 May 2022



S110355.71-AAM1.v1-ControlAsbestosAirMonitoringReport-160522

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

17 May 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

18 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.72-AAM1.v1-17/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 17/05/2022  
**Sample Analysis Date:** 18/05/2022  
**Period of Sampling:** 17/05/2022 06:58 AM - 17/05/2022 03:36 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092 **Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.72/S979/170522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.72/S515/170522	MSCP site, fencing adj. Redbank Rd, west end	0.0/100	<0.01
S110355.72/S215/170522	MSCP site, fencing adj. Redbank Rd, east end	2.0/100	<0.01
S110355.72/S961/170522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	1.0/100	<0.01
S110355.72/S580/170522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.72/S252/170522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.72/S072/170522	PSB site, northern end, fencing along Redbank Rd.	0.5/100	<0.01
S110355.72/S971/170522	PSB site, western end, fencing along CASB loading dock.	1.0/100	<0.01
S110355.72/S537/170522	PSB site, southern end, fencing along laneway	1.0/100	<0.01
S110355.72/S918/170522	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.72/S851/170522	Mons Road, Southwest of compound, adjacent site gate	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

18 May 2022

S110355.72/S934/170522	Mons Road, Northeast of compound, on fence	0.0/100	<0.01
S110355.72/S291/170522	Field Blank	0.0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

18 May 2022

### APPENDIX A – MONITOR LOCATIONS



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

18 May 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

18 May 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

19 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.73-AAM1.v1-18/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 18/05/2022  
**Sample Analysis Date:** 19/05/2022  
**Period of Sampling:** 18/05/2022 07:01 AM - 18/05/2022 03:42 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092 **Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.73/S625/180522	MSCP site, northwest end of site, adj old maintenance car park, fencing	1.0/100	<0.01
S110355.73/S501/180522	MSCP site, fencing adj. Redbank Rd, west end	0.0/100	<0.01
S110355.73/S053/180522	MSCP site, fencing adj. Redbank Rd, west end	0.0/100	<0.01
S110355.73/S795/180522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.73/S995/180522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.73/S155/180522	MSCP site, southwest end, adj. small courtyard, fencing	2.0/100	<0.01
S110355.73/A190/180522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.73/S594/180522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.73/S307/180522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.73/S452/180522	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.73/S899/180522	Mons Road, Southwest of compound, adjacent site gate	1.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

19 May 2022

S110355.73/S418/180522	Mons Road, Northeast of compound, on fence	3.5/100	<0.01
S110355.73/S349/180522	Field Blank	0.0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

19 May 2022

### APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

19 May 2022



S110355.73-AAM1.v1-ControlAsbestosAirMonitoringReport-180522

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

19 May 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.74-AAM1.v1-19/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 19/05/2022  
**Sample Analysis Date:** 20/05/2022  
**Period of Sampling:** 19/05/2022 06:59 AM - 19/05/2022 03:38 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.74/S097/190522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.74/S051/190522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	1.0/100	<0.01
S110355.74/S969/190522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.74/S741/190522	MSCP site, southwest end, adj. small courtyard, fencing	1.0/100	<0.01
S110355.74/S232/190522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.74/S979/190522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.74/S090/190522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.74/S082/190522	PSB site, eastern end, fencing behind site sheds	1.0/100	<0.01
S110355.74/S139/190522	Mons Road, Southwest of compound, adjacent site gate	0.0/100	<0.01



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 May 2022

S110355.74/S941/190522	Mons Road, Northeast of compound, on fence	1.0/100	<0.01
S110355.74/S285/190522	Field Blank	0.0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Evan Dickson**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 May 2022

## APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 May 2022



S110355.74-AAM1.v1-ControlAsbestosAirMonitoringReport-190522

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 May 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

23 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.75-AAM1.v1-20/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 20/05/2022  
**Sample Analysis Date:** 23/05/2022  
**Period of Sampling:** 20/05/2022 06:59 AM - 20/05/2022 03:36 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.75/S756/200522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.75/S210/200522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.75/S800/200522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.75/S615/200522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.75/S978/200522	PSB site, northern end, fencing along Redbank Rd.	1.0/100	<0.01
S110355.75/S733/200522	PSB site, western end, fencing along CASB loading dock.	1.5/100	<0.01
S110355.75/S822/200522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.75/S509/200522	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.75/S506/200522	Mons Road, Southwest of compound, adjacent site gate	0.0/100	<0.01
S110355.75/S747/200522	Mons Road, Northeast of compound, on fence	1.0/100	<0.01
S110355.75/S211/200522	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

23 May 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

23 May 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

23 May 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

23 May 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

24 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** danny.khal@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.76-AAM1.v1-23/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 23/05/2022  
**Sample Analysis Date:** 24/05/2022  
**Period of Sampling:** 23/05/2022 07:01 AM - 23/05/2022 03:42 PM  
**Scope of Work:** Control monitoring for asbestos fibres  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092 **Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.76/S487/230522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.76/S178/230522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.76/S808/230522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.76/S484/230522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.76/S197/230522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.76/S978/230522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.76/S154/230522	PSB site, southern end, fencing along laneway	1.0/100	<0.01
S110355.76/S934/230522	PSB site, eastern end, fencing behind site sheds	2.0/100	<0.01
S110355.76/S959/230522	Mons Road, Southwest of compound, adjacent site gate	1.0/100	<0.01
S110355.76/S903/230522	Mons Road, Northeast of compound, on fence	0.0/100	<0.01
S110355.76/S201/230522	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

24 May 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Karl Grovenor**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

24 May 2022

### **APPENDIX A – MONITOR LOCATIONS**



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

24 May 2022



S110355.76-AAM1.v1-ControlAsbestosAirMonitoringReport-230522

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

24 May 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

25 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.77-AAM1.v1-24/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 24/05/2022  
**Sample Analysis Date:** 25/05/2022  
**Period of Sampling:** 24/05/2022 07:00 AM - 24/05/2022 03:46 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.77/S982/240522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.77/S780/240522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.77/S808/240522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.77/S492/240522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.77/S913/240522	PSB site, northern end, fencing along Redbank Rd.	1.0/100	<0.01
S110355.77/S077/240522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.77/S098/240522	PSB site, southern end, fencing along laneway	2.0/100	<0.01
S110355.77/S777/240522	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.77/S821/240522	Mons Road, Southwest of compound, adjacent site gate	2.0/100	<0.01
S110355.77/S685/240522	Mons Road, Northeast of compound, on fence	1.0/100	<0.01
S110355.77/S101/240522	Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

25 May 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Alexandar Mitevski**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

25 May 2022

### APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

25 May 2022



S110355.77-AAM1.v1-ControlAsbestosAirMonitoringReport-240522

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

25 May 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

26 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.78-AAM1.v1-25/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 25/05/2022  
**Sample Analysis Date:** 26/05/2022  
**Period of Sampling:** 25/05/2022 07:05 AM - 25/05/2022 03:37 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.78/S915/250522	MSCP site, northwest end of site, adj old maintenance car park, fencing	1.0/100	<0.01
S110355.78/S154/250522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.78/S051/250522	MSCP site, southeast end of site, adj site sheds, fencing	2.0/100	<0.01
S110355.78/S197/250522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.78/S196/250522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.78/S226/250522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.78/S898/250522	PSB site, southern end, fencing along laneway	1.0/100	<0.01
S110355.78/S847/250522	PSB site, eastern end, fencing behind site sheds	1.0/100	<0.01
S110355.78/S125/250522	Mons Road, Southwest of compound, adjacent site gate	1.0/100	<0.01



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

26 May 2022

S110355.78/S176/250522	Mons Road, Northeast of compound, on fence	0.0/100	<0.01
S110355.78/S982/250522	Blank	0.0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Alexandar Mitevski**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports


## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

26 May 2022

### **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

26 May 2022



S110355.78-AAM1.v1-ControlAsbestosAirMonitoringReport-250522

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

26 May 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

29 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.79-AAM1.v1-26/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 26/05/2022  
**Sample Analysis Date:** 27/05/2022  
**Period of Sampling:** 26/05/2022 07:10 AM - 26/05/2022 03:49 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.79/P46/260522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.79/S492/260522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	1.0/100	<0.01
S110355.79/S777/260522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.79/S780/260522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.79/S913/260522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.79/S098/260522	PSB site, western end, fencing along CASB loading dock.	2.0/100	<0.01
S110355.79/S821/260522	PSB site, southern end, fencing along laneway	1.0/100	<0.01
S110355.79/S997/260522	PSB site, eastern end, fencing behind site sheds	1.0/100	<0.01
S110355.79/S055/260522	Mons Road, Southwest of compound, adjacent site gate	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

29 May 2022

S110355.79/S050/260522	Mons Road, Northeast of compound, on fence	1.0/100	<0.01
S110355.79/S852/260522	Blank	0.0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Evan Dickson**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

29 May 2022

## APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

29 May 2022



S110355.79-AAM1.v1-ControlAsbestosAirMonitoringReport-260522

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

29 May 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

30 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.80-AAM1.v1-27/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 27/05/2022  
**Sample Analysis Date:** 30/05/2022  
**Period of Sampling:** 27/05/2022 07:10 AM - 27/05/2022 03:48 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.80/S756/270522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.80/S994/270522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	2.0/100	<0.01
S110355.80/S340/270522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.80/S392/270522	MSCP site, southwest end, adj. small courtyard, fencing	2.0/100	<0.01
S110355.80/S895/270522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.80/S978/270522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.80/S002/270522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.80/S947/270522	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.80/S104/270522	Mons Road, Southwest of compound, adjacent site gate	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

30 May 2022

S110355.80/S826/270522	Mons Road, Northeast of compound, on fence	0.0/100	<0.01
S110355.80/S101/270522	Blank	0.0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Evan Dickson**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

30 May 2022

## **APPENDIX A – MONITOR LOCATIONS**



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

30 May 2022



S110355.80-AAM1.v1-ControlAsbestosAirMonitoringReport-270522

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

30 May 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

30 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.81-AAM1.v1-28/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 28/05/2022  
**Sample Analysis Date:** 30/05/2022  
**Period of Sampling:** 28/05/2022 07:00 AM - 28/05/2022 03:00 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.81/S935/280522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.81/S226/280522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	1.0/100	<0.01
S110355.81/S626/280522	MSCP site, southeast end of site, adj site sheds, fencing	1.0/100	<0.01
S110355.81/S824/280522	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.81/S817/280522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.81/S791/280522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.81/S982/280522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.81/S849/280522	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.81/S101/280522	Blank	0.0/100	NA



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

30 May 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Evan Dickson**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

30 May 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

30 May 2022



S110355.81-AAM1.v1-ControlAsbestosAirMonitoringReport-280522

Page 4 of 4



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

31 May 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.82-AAM1.v1-30/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 30/05/2022  
**Sample Analysis Date:** 31/05/2022  
**Period of Sampling:** 30/05/2022 07:10 AM - 30/05/2022 03:46 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.82/S233/300522	MSCP site, northwest end of site, adj old maintenance car park, fencing	2.0/100	<0.01
S110355.82/S961/300522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.82/S196/300522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.82/S051/300522	MSCP site, southwest end, adj. small courtyard, fencing	3.0/100	<0.01
S110355.82/S960/300522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.82/S183/300522	PSB site, western end, fencing along CASB loading dock.	2.0/100	<0.01
S110355.82/S757/300522	PSB site, southern end, fencing along laneway	1.0/100	<0.01
S110355.82/S146/300522	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.82/S038/300522	Mons Road, Southwest of compound, adjacent site gate	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

31 May 2022

S110355.82/S096/300522	Mons Road, Northeast of compound, on fence	1.0/100	<0.01
S110355.82/S101/300522	Blank	0.0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Evan Dickson**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

31 May 2022

### **APPENDIX A – MONITOR LOCATIONS**



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

31 May 2022



S110355.82-AAM1.v1-ControlAsbestosAirMonitoringReport-300522

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

31 May 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

01 June 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.83-AAM1.v1-31/05/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 31/05/2022  
**Sample Analysis Date:** 01/06/2022  
**Period of Sampling:** 31/05/2022 07:11 AM - 31/05/2022 03:46 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.83/S160/310522	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.83/S558/310522	MSCP site, Corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.83/S650/310522	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.83/S974/310522	MSCP site, southwest end, adj. small courtyard, fencing	1.0/100	<0.01
S110355.83/S724/310522	PSB site, northern end, fencing along Redbank Rd.	0.0/100	<0.01
S110355.83/S560/310522	PSB site, western end, fencing along CASB loading dock.	0.0/100	<0.01
S110355.83/S802/310522	PSB site, southern end, fencing along laneway	0.0/100	<0.01
S110355.83/S140/310522	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.83/S016/310522	Mons Road, Southwest of compound, adjacent site gate	0.0/100	<0.01



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

01 June 2022

S110355.83/S970/310522	Mons Road, Northeast of compound, on fence	0.0/100	<0.01
S110355.83/S101/310522	Blank	0.0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Evan Dickson**  
Analyst



**Rune Knoph**  
Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

01 June 2022

### **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

01 June 2022



S110355.83-AAM1.v1-ControlAsbestosAirMonitoringReport-310522

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

01 June 2022

