

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

01 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.131-AAM1.v1-01/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 01/08/2022  
**Sample Analysis Date:** 01/08/2022  
**Period of Sampling:** 01/08/2022 07:01 AM - 01/08/2022 01:45 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.131/S087/010822	MSCP site, southwest end, adj. small courtyard, fencing	1.0/100	<0.01
S110355.131/S058/010822	MSCP site, southeast end of site, adj site sheds, fencing	2.0/100	<0.01
S110355.131/S851/010822	MSCP site, corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.131/S005/010822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.131/S845/010822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.131/S153/010822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.131/S773/010822	PSB site, southern end, temp fence in site, facing SE	1.0/100	<0.01
S110355.131/S059/010822	PSB site, eastern end, fencing behind site sheds	1.0/100	<0.01
S110355.131/S252/010822	PSB site, gate 1 entry	0.0/100	<0.01
S110355.131/S989/010822	Mons Road, entry point	0.0/100	<0.01
S110355.131/S832/010822	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

01 August 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

01 August 2022

## APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

01 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

01 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

02 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.132-AAM1.v1-02/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 02/08/2022  
**Sample Analysis Date:** 02/08/2022  
**Period of Sampling:** 02/08/2022 07:00 AM - 02/08/2022 02:25 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.132/S168/020822	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.132/3292/020822	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.132/S535/020822	MSCP site, corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.132/S221/020822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.132/S754/020822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.132/S591/020822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.132/S619/020822	PSB site, southern end, temp fence in site, facing SE	0.0/100	<0.01
S110355.132/S518/020822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.132/S154/020822	PSB site, gate 1 entry	0.0/100	<0.01
S110355.132/S155/020822	Mons Road, entry point	0.0/100	<0.01
S110355.132/3234/020822	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

02 August 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS


02 August 2022

## APPENDIX A – MONITOR LOCATIONS



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

02 August 2022



S110355.132-AAM1.v1-ControlAsbestosAirMonitoringReport-020822

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

02 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

03 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.133-AAM1.v1-03/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 03/08/2022  
**Sample Analysis Date:** 03/08/2022  
**Period of Sampling:** 03/08/2022 06:58 AM - 03/08/2022 02:24 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.133/6351/030822	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.133/S972/030822	MSCP site, southeast end of site, adj site sheds, fencing	1.0/100	<0.01
S110355.133/S998/030822	MSCP site, corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.133/S891/030822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.133/S515/030822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.133/S852/030822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.133/S918/030822	PSB site, southern end, temp fence in site, facing SE	1.0/100	<0.01
S110355.133/6272/030822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.133/S226/030822	PSB site, gate 1 entry	1.0/100	<0.01
S110355.133/S897/030822	Mons Road, entry point	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

03 August 2022

S110355.133/3491/030822	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.133/3193/030822	Field Blank	0.0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports




## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

03 August 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

03 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

03 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

04 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.135-AAM1.v1-04/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 04/08/2022  
**Sample Analysis Date:** 04/08/2022  
**Period of Sampling:** 04/08/2022 06:59 AM - 04/08/2022 02:23 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.135/3385/040822	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.135/S548/040822	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.135/6099/040822	MSCP site, corner of Labyrinth Way and Redbank Road, fencing	1.0/100	<0.01
S110355.135/S281/040822	MSCP site, northwest end of site, adj old maintenance car park, fencing	1.0/100	<0.01
S110355.135/S307/040822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.135/S958/040822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.135/S332/040822	PSB site, southern end, temp fence in site, facing SE	0.0/100	<0.01
S110355.135/3530/040822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.135/3546/040822	PSB site, gate 1 entry	0.0/100	<0.01
S110355.135/S902/040822	Mons Road, entry point	1.0/100	<0.01
S110355.135/0604/040822	Mons Road, before boom gate, fencing	0.0/100	<0.01



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

04 August 2022

S110355.135/S154/040822	Field Blank	0.0/100	NA
-------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports


## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

04 August 2022

## APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

04 August 2022



S110355.135-AAM1.v1-ControlAsbestosAirMonitoringReport-040822

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

04 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

05 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.136-AAM1.v1-05/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 05/08/2022  
**Sample Analysis Date:** 05/08/2022  
**Period of Sampling:** 05/08/2022 06:57 AM - 05/08/2022 01:43 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.136/S160/050822	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.136/S795/050822	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.136/S609/050822	MSCP site, corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.136/S732/050822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.136/S982/050822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.136/S701/050822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.136/S592/050822	PSB site, southern end, temp fence in site, facing SE	1.0/100	<0.01
S110355.136/S186/050822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.136/S979/050822	PSB site, gate 1 entry	0.0/100	<0.01
S110355.136/S511/050822	Mons Road, entry point	0.0/100	<0.01
S110355.136/S398/050822	Mons Road, before boom gate, fencing	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

05 August 2022

S110355.136/S496/050822	Field Blank	0.0/100	NA
-------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

05 August 2022

## APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

05 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

05 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

08 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.137-AAM1.v1-06/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 06/08/2022  
**Sample Analysis Date:** 08/08/2022  
**Period of Sampling:** 06/08/2022 06:58 AM - 06/08/2022 03:26 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.137/S934/060822	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.137/S469/060822	MSCP site, southeast end of site, adj site sheds, fencing	0.0/100	<0.01
S110355.137/S077/060822	MSCP site, corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.137/S231/060822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.137/S807/060822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.137/S733/060822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.137/S926/060822	PSB site, southern end, temp fence in site, facing SE	0.0/100	<0.01
S110355.137/S756/060822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.137/S090/060822	PSB site, gate 1 entry	0.0/100	<0.01
S110355.137/S408/060822	Mons Road, entry point	0.0/100	<0.01
S110355.137/S123/060822	Mons Road, before boom gate, fencing	1.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

08 August 2022

S110355.137/DP012/060822	Field Blank	0.0/100	NA
--------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

08 August 2022

## APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

08 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

08 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

08 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.138-AAM1.v1-08/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 08/08/2022  
**Sample Analysis Date:** 08/08/2022  
**Period of Sampling:** 08/08/2022 07:11 AM - 08/08/2022 02:35 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.138/3360/080822	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.138/S489/080822	MSCP site, southeast end of site, adj site sheds, fencing	2.0/100	<0.01
S110355.138/S096/080822	MSCP site, corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.138/S334/080822	MSCP site, northwest end of site, adj old maintenance car park, fencing	3.0/100	<0.01
S110355.138/S001/080822	PSB site, northern end, fencing along Redbank Rd	1.0/100	<0.01
S110355.138/S016/080822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.138/S556/080822	PSB site, southern end, temp fence in site, facing SE	1.0/100	<0.01
S110355.138/S339/080822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.138/S778/080822	PSB site, gate 1 entry	0.0/100	<0.01
S110355.138/S087/080822	Mons Road, entry point	0.0/100	<0.01
S110355.138/P79/080822	Mons Road, before boom gate, fencing	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

08 August 2022

S110355.138/3119/080822	Field Blank	0.0/100	NA
-------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**


08 August 2022

## **APPENDIX A – MONITOR LOCATIONS**



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

08 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

08 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.139-AAM1.v1-09/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 09/08/2022  
**Sample Analysis Date:** 09/08/2022  
**Period of Sampling:** 09/08/2022 06:49 AM - 09/08/2022 02:05 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.139/6305/090822	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.139/S014/090822	MSCP site, temp fencing in-site near entry	0.0/100	<0.01
S110355.139/S961/090822	MSCP site, corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.139/S18/090822	MSCP site, northwest end of site, adj old maintenance car park, fencing	2.0/100	<0.01
S110355.139/S196/090822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.139/S899/090822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.139/S720/090822	PSB site, southern end, temp fence in site, facing SE	0.0/100	<0.01
S110355.139/S901/090822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.139/S139/090822	PSB site, gate 1 entry	0.0/100	<0.01
S110355.139/S481/090822	Mons Road, entry point	1.0/100	<0.01
S110355.139/S62/090822	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.139/S055/090822	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 August 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports




## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

09 August 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 August 2022



S110355.139-AAM1.v1-ControlAsbestosAirMonitoringReport-090822

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

10 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.140-AAM1.v1-10/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 10/08/2022  
**Sample Analysis Date:** 10/08/2022  
**Period of Sampling:** 10/08/2022 06:51 AM - 10/08/2022 02:23 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.140/S978/100822	MSCP site, southwestern end, adj small courtyard, fencing	0.0/100	<0.01
S110355.140/S750/100822	MSCP site, temp fencing in-site near entry	0.0/100	<0.01
S110355.140/S947/100822	MCSP site, corner of Labyrinth Way and Redbank Rd, fencing	0.0/100	<0.01
S110355.140/S945/100822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.140/S732/100822	PSB site, northern end, fencing along Redbank Rd	1.0/100	<0.01
S110355.140/S784/100822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.140/S583/100822	PSB site, southern end, temp fence in site, facing SE	0.0/100	<0.01
S110355.140/S098/100822	PSB site, eastern end, fencing behind site sheds	1.0/100	<0.01
S110355.140/S999/100822	PSB site, gate 1 entry	0.0/100	<0.01
S110355.140/S601/100822	Mons Rd, entry point	0.0/100	<0.01
S110355.140/S891/100822	Mons Rd, before boom gate, fencing	0.0/100	<0.01



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

10 August 2022

S110355.140/S853/100822	Blank	0.0/100	NA
-------------------------	-------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports


## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

10 August 2022

## APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

10 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

10 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

11 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.141-AAM1.v1-11/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 11/08/2022  
**Sample Analysis Date:** 11/08/2022  
**Period of Sampling:** 11/08/2022 06:57 AM - 11/08/2022 02:27 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.141/S1074/110822	MSCP site, southwestern end, adj small courtyard, fencing	0.0/100	<0.01
S110355.141/S107/110822	MSCP site, temp fencing in-site near entry	0.0/100	<0.01
S110355.141/S620/110822	MCSP site, corner of Labyrinth Way and Redbank Rd, fencing	1.0/100	<0.01
S110355.141/S197/110822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.141/S800/110822	PSB site, northern end, fencing along Redbank Rd	2.0/100	<0.01
S110355.141/S199/110822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.141/S391/110822	PSB site, southern end, temp fence in site, facing SE	0.0/100	<0.01
S110355.141/S465/110822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.141/S591/110822	PSB site, gate 1 entry	0.0/100	<0.01
S110355.141/S506/110822	Mons Rd, entry point	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

11 August 2022

S110355.141/W09/110822	Mons Rd, before boom gate, fencing	1.0/100	<0.01
S110355.141/CX633215/110822	Field Blank	0.0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS


11 August 2022

## APPENDIX A – MONITOR LOCATIONS



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

11 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

11 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

12 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.142-AAM1.v1-12/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 12/08/2022  
**Sample Analysis Date:** 12/08/2022  
**Period of Sampling:** 12/08/2022 06:54 AM - 12/08/2022 01:36 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.142/S078/120822	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.142/3216/120822	MSCP site, temp fencing in-site near entry	0.0/100	<0.01
S110355.142/S797/120822	MSCP site, corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.142/S102/120822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.142/S821/120822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.142/S706/120822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.142/S038/120822	PSB site, southern end, temp fence in site, facing SE	0.0/100	<0.01
S110355.142/S482/120822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.142/S741/120822	PSB site, gate 1 entry	1.0/100	<0.01
S110355.142/S168/120822	Mons Road, entry point	0.0/100	<0.01
S110355.142/S215/120822	Mons Road, before boom gate, fencing	1.0/100	<0.01



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

12 August 2022

S110355.142/S909/120822	Field Blank	0.0/100	NA
-------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports


## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

12 August 2022

### APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

12 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

12 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

15 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.143-AAM1.v1-13/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 13/08/2022  
**Sample Analysis Date:** 15/08/2022  
**Period of Sampling:** 13/08/2022 06:53 AM - 13/08/2022 03:21 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.143/S757/130822	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.143/-/130822	MSCP site, temp fencing in-site near entry	Rejected: Pump moved	
S110355.143/S780/130822	MSCP site, corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.143/S716/130822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.143/S937/130822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.143/S195/130822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.143/S826/130822	PSB site, southern end, temp fence in site, facing SE	0.0/100	<0.01
S110355.143/S933/130822	PSB site, eastern end, fencing behind site sheds	2.0/100	<0.01
S110355.143/S205/130822	PSB site, gate 1 entry	0.0/100	<0.01
S110355.143/5435/130822	Mons Road, entry point	0.0/100	<0.01
S110355.143/S199/130822	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.143/S247/130822	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

15 August 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports




## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

15 August 2022

## APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

15 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

15 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

15 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.144-AAM1.v1-15/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 15/08/2022  
**Sample Analysis Date:** 15/08/2022  
**Period of Sampling:** 15/08/2022 06:57 AM - 15/08/2022 02:22 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.144/S740/150822	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.144/S995/150822	MSCP site, corner of Labyrinth Way and Redbank Road, fencing	1.0/100	<0.01
S110355.144/S487/150822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.144/S848/150822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.144/S971/150822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.144/S590/150822	PSB site, southern end, temp fence in site, facing SE	1.0/100	<0.01
S110355.144/S082/150822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.144/S338/150822	PSB site, gate 1 entry	0.0/100	<0.01
S110355.144/S629/150822	Mons Road, entry point	0.0/100	<0.01
S110355.144/S408/150822	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.144/S461/150822	Field Blank	0.0/100	NA

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

15 August 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

15 August 2022

## **APPENDIX A – MONITOR LOCATIONS**



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

15 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

15 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.145-AAM1.v1-16/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 16/08/2022  
**Sample Analysis Date:** 16/08/2022  
**Period of Sampling:** 16/08/2022 06:52 AM - 16/08/2022 02:08 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.145/6338/160822	MSCP site, southwest end, adj. small courtyard, fencing	0.0/100	<0.01
S110355.145/3202/160822	MSCP site, corner of Labyrinth Way and Redbank Road, fencing	0.0/100	<0.01
S110355.145/S934/160822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.145/S791/160822	PSB site, northern end, fencing along Redbank Rd	1.0/100	<0.01
S110355.145/S227/160822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.145/S340/160822	PSB site, southern end, temp fence in site, facing SE	3.0/100	<0.01
S110355.145/S997/160822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.145/S558/160822	PSB site, northern end, temp fence in clean area	0.0/100	<0.01
S110355.145/S743/160822	Mons Road, entry point	0.0/100	<0.01
S110355.145/S994/160822	Mons Road, before boom gate, fencing	1.0/100	<0.01
S110355.145/S135/160822	Field Blank	0.0/100	NA



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 August 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

16 August 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 August 2022



S110355.145-AAM1.v1-ControlAsbestosAirMonitoringReport-160822

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

17 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.146-AAM1.v1-17/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 17/08/2022  
**Sample Analysis Date:** 17/08/2022  
**Period of Sampling:** 17/08/2022 06:54 AM - 17/08/2022 02:21 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.146/S735/170822	MSCP site, southwestern end, adj small courtyard, between stockpile and public	2.0/100	<0.01
S110355.146/3198/170822	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.146/3221/170822	MSCP site, adj to Labyrinth Way, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.146/S221/170822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.146/S176/170822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.146/6367/170822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.146/S233/170822	PSB site, eastern end, temp fencing in site	1.0/100	<0.01
S110355.146/S704/170822	PSB site, eastern end, fencing behind site sheds	1.0/100	<0.01
S110355.146/S229/170822	PSB site, northern end, temp fencing between site and compound	0.0/100	<0.01
S110355.146/6255/170822	Mons Road, entry point	1.0/100	<0.01
S110355.146/6262/170822	Mons Road, before boom gate, fencing	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

17 August 2022

S110355.146/8656/170822	Field Blank	0.0/100	NA
-------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports



## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

17 August 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

17 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

17 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

18 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.149-AAM1.v1-18/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 18/08/2022  
**Sample Analysis Date:** 18/08/2022  
**Period of Sampling:** 18/08/2022 06:54 AM - 18/08/2022 02:15 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.149/S603/180822	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.149/S231/180822	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.149/S535/180822	MSCP site, adj to Labyrinth Way, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.149/S498/180822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.149/S234/180822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.149/S155/180822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.149/S518/180822	PSB site, eastern end, temp fencing in site	0.0/100	<0.01
S110355.149/S928/180822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.149/S197/180822	PSB site, northern end, temp fencing between site and compound	0.0/100	<0.01
S110355.149/6480/180822	Mons Road, entry point	0.0/100	<0.01
S110355.149/S220/180822	Mons Road, before boom gate, fencing	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

18 August 2022

S110355.149/S501/180822	Field Blank	0.0/100	NA
-------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

18 August 2022

## APPENDIX A – MONITOR LOCATIONS



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

18 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

18 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

19 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.150-AAM1.v1-19/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 19/08/2022  
**Sample Analysis Date:** 19/08/2022  
**Period of Sampling:** 19/08/2022 06:53 AM - 19/08/2022 02:10 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.150/3065/190822	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.150/S496/190822	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.150/S935/190822	MSCP site, adj to Labyrinth Way, temp fencing, between clean and dirty zone	1.0/100	<0.01
S110355.150/S469/190822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.150/S232/190822	PSB site, northern end, fencing along Redbank Rd	1.0/100	<0.01
S110355.150/6558/190822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.150/S903/190822	PSB site, eastern end, temp fencing in site	1.0/100	<0.01
S110355.150/S230/190822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.150/4123/190822	PSB site, northern end, temp fencing between site and compound	0.0/100	<0.01
S110355.150/S489/190822	Mons Road, entry point	0.0/100	<0.01
S110355.150/S97/190822	Mons Road, before boom gate, fencing	0.0/100	<0.01



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

19 August 2022

S110355.150/S548/190822	Field Blank	0.0/100	NA
-------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

19 August 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

19 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

19 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

22 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.151-AAM1.v1-20/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 20/08/2022  
**Sample Analysis Date:** 22/08/2022  
**Period of Sampling:** 20/08/2022 06:53 AM - 20/08/2022 03:01 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.151/S807/200822	MSCP site, southwestern end, adj small courtyard, between stockpile and public	1.0/100	<0.01
S110355.151/S556/200822	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.151/S337/200822	MSCP site, adj to Labyrinth Way, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.151/S733/200822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.151/S087/200822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.151/S926/200822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.151/3546/200822	PSB site, eastern end, temp fencing in site	0.0/100	<0.01
S110355.151/S444/200822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.151/3491/200822	PSB site, northern end, temp fencing between site and compound	0.0/100	<0.01
S110355.151/S408/200822	Mons Road, entry point	0.0/100	<0.01
S110355.151/S715/200822	Mons Road, before boom gate, fencing	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

22 August 2022

S110355.151/6604/200822	Field Blank	0.0/100	NA
-------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports



## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

22 August 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

22 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

22 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

22 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.152-AAM1.v1-22/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 22/08/2022  
**Sample Analysis Date:** 22/08/2022  
**Period of Sampling:** 22/08/2022 07:31 AM - 22/08/2022 02:18 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.152/S503/220822	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.152/S895/220822	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.152/S962/220822	MSCP site, west of site sheds, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.152/S169/220822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.152/S724/220822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.152/S053/220822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.152/S119/220822	PSB site, eastern end, temp fencing in site	0.0/100	<0.01
S110355.152/S913/220822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.152/S941/220822	PSB site, northern end, temp fencing between site and compound	0.0/100	<0.01
S110355.152/S756/220822	Mons Road, entry point	Rejected: Pump Moved	
S110355.152/S224/220822	Mons Road, before boom gate, fencing	Rejected: Damaged Filter	

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

22 August 2022

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

22 August 2022

## APPENDIX A – MONITOR LOCATIONS



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

22 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

22 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

23 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.153-AAM1.v1-23/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 23/08/2022  
**Sample Analysis Date:** 23/08/2022  
**Period of Sampling:** 23/08/2022 06:50 AM - 23/08/2022 02:15 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.153/S005/230822	MSCP site, southwestern end, adj small courtyard, fencing	0.0/100	<0.01
S110355.153/S001/230822	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.153/S492/230822	MSCP site, west of site sheds, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.153/S795/230822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.153/S975/230822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.153/S307/230822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.153/S573/230822	PSB site, southern end, temp fence in site, facing SE	1.0/100	<0.01
S110355.153/S090/230822	PSB site, eastern end, fencing behind site sheds	1.0/100	<0.01
S110355.153/S016/230822	PSB site, gate 1 entry	0.0/100	<0.01
S110355.153/S158/230822	Mons Rd, entry point	0.0/100	<0.01



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

23 August 2022

S110355.153/S915/230822	Mons Rd, before boom gate, fencing	0.0/100	<0.01
S110355.153/S982/230822	Field Blank	0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



**Rune Knoph**

Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

23 August 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

23 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

23 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

24 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.154-AAM1.v1-24/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 24/08/2022  
**Sample Analysis Date:** 24/08/2022  
**Period of Sampling:** 24/08/2022 06:51 AM - 24/08/2022 02:20 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.154/3303/240822	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.154/S650/240822	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.154/S332/240822	MSCP site, adj to Labyrinth Way, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.154/S083/240822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.154/S902/240822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.154/S097/240822	PSB site, western end, fencing along CASB loading dock	1.0/100	<0.01
S110355.154/S701/240822	PSB site, eastern end, temp fencing in site	0.0/100	<0.01
S110355.154/S934/240822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.154/S097-1/240822	PSB site, northern end, temp fencing between site and compound	0.0/100	<0.01
S110355.154/S898/240822	Mons Road, entry point	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

24 August 2022

S110355.154/S852/240822	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.154/S571/240822	Field Blank	0.0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports



## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

24 August 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

24 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

24 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

25 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.155-AAM1.v1-25/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 25/08/2022  
**Sample Analysis Date:** 25/08/2022  
**Period of Sampling:** 25/08/2022 06:50 AM - 25/08/2022 01:39 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.155/S339/250822	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.155/S756/250822	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.155/S732/250822	MSCP site, west of site sheds, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.155/S1002/250822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.155/S509/250822	PSB site, northern end, fencing along Redbank Rd	3.0/100	<0.01
S110355.155/S822/250822	PSB site, western end, fencing along CASB loading dock	2.0/100	<0.01
S110355.155/S1019/250822	PSB site, eastern end, temp fencing in site	0.0/100	<0.01
S110355.155/S119/250822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.155/S186/250822	PSB site, northern end, temp fencing between site and compound	0.0/100	<0.01
S110355.155/S1006/250822	Mons Road, entry point	0.0/100	<0.01
S110355.155/S1005/250822	Mons Road, before boom gate, fencing	1.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

25 August 2022

S110355.155/S016/250822	Field Blank	0.0/100	NA
-------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

25 August 2022

## **APPENDIX A – MONITOR LOCATIONS**



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

25 August 2022



S110355.155-AAM1.v1-ControlAsbestosAirMonitoringReport-250822

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

25 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

26 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.156-AAM1.v1-26/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 26/08/2022  
**Sample Analysis Date:** 26/08/2022  
**Period of Sampling:** 26/08/2022 06:49 AM - 26/08/2022 02:16 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.156/S1017/260822	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.156/S1018/260822	MSCP site, temp fencing in middle of site, between clean and dirty zone	1.0/100	<0.01
S110355.156/S104/260822	MSCP site, adj to Labyrinth Way, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.156/S1004/260822	MSCP site, northwest end of site, adj old maintenance car park, fencing	1.0/100	<0.01
S110355.156/S1013/260822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.156/S1001/260822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.156/S1015/260822	PSB site, eastern end, temp fencing in site	0.0/100	<0.01
S110355.156/S1020/260822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.156/S1007/260822	PSB site, northern end, temp fencing between site and compound	0.0/100	<0.01
S110355.156/S160/260822	Mons Road, entry point	0.0/100	<0.01
S110355.156/S799/260822	Mons Road, before boom gate, fencing	0.0/100	<0.01



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

26 August 2022

S110355.156/S1014/260822	Field Blank	0.0/100	NA
--------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

26 August 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS


26 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

26 August 2022



S110355.156-AAM1.v1-ControlAsbestosAirMonitoringReport-260822

Page 5 of 5

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

29 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.157-AAM1.v1-27/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 27/08/2022  
**Sample Analysis Date:** 29/08/2022  
**Period of Sampling:** 27/08/2022 06:50 AM - 29/08/2022 02:51 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.157/S846/270822	MSCP site, southwestern end, adj small courtyard, between stockpile and public	1.0/100	<0.01
S110355.157/S853/270822	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.157/S139/270822	MSCP site, adj to Labyrinth Way, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.157/S154/270822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.157/3399/270822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.157/6290/270822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.157/S582/270822	PSB site, eastern end, temp fencing in site	0.0/100	<0.01
S110355.157/S465/270822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.157/S1016/270822	PSB site, northern end, temp fencing between site and compound	0.0/100	<0.01
S110355.157/3385/270822	Mons Road, entry point	0.0/100	<0.01
S110355.157/S947/270822	Mons Road, before boom gate, fencing	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

29 August 2022

S110355.157/S001/270822	Field Blank	0.0/100	NA
-------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports



## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

29 August 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

29 August 2022




S110355.157-AAM1.v1-ControlAsbestosAirMonitoringReport-270822

Page 4 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

29 August 2022



S110355.157-AAM1.v1-ControlAsbestosAirMonitoringReport-270822

Page 5 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

29 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.158-AAM1.v1-29/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 29/08/2022  
**Sample Analysis Date:** 29/08/2022  
**Period of Sampling:** 29/08/2022 06:45 AM - 29/08/2022 02:15 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.158/6568/290822	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.158/S934/290822	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.158/S592/290822	MSCP site, adj to Labyrinth Way, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.158/S808/290822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.158/S778/290822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.158/S101/290822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.158/S537/290822	PSB site, eastern end, temp fencing in site	0.0/100	<0.01
S110355.158/S800/290822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.158/8501/290822	PSB site, northern end, temp fencing between site and compound	0.0/100	<0.01
S110355.158/S199/290822	Mons Road, entry point	0.0/100	<0.01
S110355.158/S123/290822	Mons Road, before boom gate, fencing	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

29 August 2022

S110355.158/3385/290822	Field Blank	0.0/100	NA
-------------------------	-------------	---------	----

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports

## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

29 August 2022

## **APPENDIX A – MONITOR LOCATIONS**



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

29 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

29 August 2022



S110355.158-AAM1.v1-ControlAsbestosAirMonitoringReport-290822

Page 5 of 5



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

30 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.159-AAM1.v1-30/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 30/08/2022  
**Sample Analysis Date:** 30/08/2022  
**Period of Sampling:** 30/08/2022 06:46 AM - 30/08/2022 02:10 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.159/S619/300822	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.159/S053/300822	MSCP site, temp fencing in middle of site, between clean and dirty zone	2.0/100	<0.01
S110355.159/S176/300822	MSCP site, adj to Labyrinth Way, temp fencing, between clean and dirty zone	VOID*	VOID*
S110355.159/S926/300822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.159/S230/300822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.159/S535/300822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.159/S975/300822	PSB site, eastern end, temp fencing in site	1.0/100	<0.01
S110355.159/S337/300822	PSB site, eastern end, fencing behind site sheds	0.0/100	<0.01
S110355.159/S210/300822	PSB site, northern end, temp fencing between site and compound	2.0/100	<0.01
S110355.159/S169/300822	Mons Road, entry point	0.0/100	<0.01
S110355.159/S704/300822	Mons Road, before boom gate, fencing	0.0/100	<0.01



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

30 August 2022

S110355.159/S221/300822	Field Blank	0.0/100	NA
-------------------------	-------------	---------	----

\*Sample voided due to missing pump.

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

30 August 2022

## APPENDIX A – MONITOR LOCATIONS

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

30 August 2022





## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

30 August 2022



## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

31 August 2022

**Attention:** Danny Khal  
**Company:** Ford Civil Contracting Pty Ltd  
**Email:** miguel.canas@fordcivil.com.au  
**Address:** 9 Hattersley Street, Arncliffe NSW 2205

**SWE Report Reference:** S110355.160-AAM1.v1-31/08/2022  
**Site Address:** MSCP and PSB, Westmead Hospital  
**Sampling Date:** 31/08/2022  
**Sample Analysis Date:** 31/08/2022  
**Period of Sampling:** 31/08/2022 06:51 AM - 31/08/2022 02:25 PM  
**Scope of Work:** Air Monitoring during civil works of asbestos impacted soils  
**SWE Laboratory:** Suite 15, 103 Majors Bay Road, Concord NSW 2137

**Accreditation number:** 17092

**Site number:** 18665

**1. Introduction:** Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

**2. Methods:** Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

### 3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.160/S220/310822	MSCP site, southwestern end, adj small courtyard, fencing	1.0/100	<0.01
S110355.160/S233/310822	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.160/VOID/310822	MSCP site, adj to Labyrinth Way, temp fencing, between clean and dirty zone	0.0/100	VOID
S110355.160/S926/310822	MSCP site, northwest end of site, adj old maintenance car park, fencing	0.0/100	<0.01
S110355.160/S895/310822	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.160/S849/310822	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.160/S736/310822	PSB site, eastern end, temp fencing in site	0.0/100	<0.01
S110355.160/S913/310822	PSB site, eastern end, fencing behind site sheds	2.0/100	<0.01
S110355.160/S234/310822	PSB site, northern end, temp fencing between site and compound	0.0/100	<0.01
S110355.160/S756/310822	Mons Rd, entry point	0.0/100	<0.01

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

31 August 2022

S110355.160/S498/310822	Mons Rd, before boom gate, fencing	0.0/100	<0.01
S110355.160/S918/310822	Blank	0/100	NA

**4. Conclusion:** All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

**Analysed and reported by:**



**Rune Knoph**

Approved Issuer of Reports



## **CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS**

31 August 2022

## **APPENDIX A – MONITOR LOCATIONS**

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

31 August 2022



S110355.160-AAM1.v1-ControlAsbestosAirMonitoringReport-310822

Page 4 of 5

## CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

31 August 2022



S110355.160-AAM1.v1-ControlAsbestosAirMonitoringReport-310822

Page 5 of 5