

TEST REPORT

March 04, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	8 Filters
Date of Sampling:	03/03/25
Date of Analysis:	04/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully

AIRSAFE LABORATORIES PTY LTD

Pamela Mavroidis

Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–305	Redevelopment Works – Location 1	0712	1512	480	2.0	100	0	<0.01
76105–306	Redevelopment Works – Location 2	0714	1514	480	2.0	100	0	<0.01
76105–307	Redevelopment Works – Location 3	0724	1524	480	2.0	100	0	<0.01
76105–308	Redevelopment Works – Location 4	0725	1525	480	2.0	100	0	<0.01
76105–309	Redevelopment Works – Location 5	0720	1520	480	2.0	100	0	<0.01
76105–310	Redevelopment Works – Location 6	0729	1529	480	2.0	100	0	<0.01
76105–311	Redevelopment Works – Location 7	0730	1530	480	2.0	100	0	<0.01
76105–312	Redevelopment Works – Location 8	0727	1527	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Pamela Mavroidis, Licensed Asbestos Assessor [SafeWork NSW Licence No LAA 002067].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 05, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	8 Filters
Date of Sampling:	04/03/25
Date of Analysis:	05/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully
AIRSAFE LABORATORIES PTY LTD

Pamela Mavroidis
Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works
JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–313	Redevelopment Works – Location 1	0704	1504	480	2.0	100	0	<0.01
76105–314	Redevelopment Works – Location 2	0706	1506	480	2.0	100	0	<0.01
76105–315	Redevelopment Works – Location 3	0708	1508	480	2.0	100	0	<0.01
76105–316	Redevelopment Works – Location 4	0709	1509	480	2.0	100	0	<0.01
76105–317	Redevelopment Works – Location 5	0659	1459	480	2.0	100	0	<0.01
76105–318	Redevelopment Works – Location 6	0714	1514	480	2.0	100	0	<0.01
76105–319	Redevelopment Works – Location 7	0715	1515	480	2.0	100	0	<0.01
76105–320	Redevelopment Works – Location 8	0712	1512	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Pamela Mavroidis, Licensed Asbestos Assessor [SafeWork NSW Licence No LAA 002067].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 06, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	8 Filters
Date of Sampling:	05/03/25
Date of Analysis:	06/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully
AIRSAFE LABORATORIES PTY LTD

Pamela Mavroidis
Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–321	Redevelopment Works – Location 1	0711	1511	480	2.0	100	0	<0.01
76105–322	Redevelopment Works – Location 2	0712	1512	480	2.0	100	0	<0.01
76105–323	Redevelopment Works – Location 3	0714	1514	480	2.0	100	0	<0.01
76105–324	Redevelopment Works – Location 4	0715	1515	480	2.0	100	0	<0.01
76105–325	Redevelopment Works – Location 5	0705	1505	480	2.0	100	0	<0.01
76105–326	Redevelopment Works – Location 6	0718	1518	480	2.0	100	0	<0.01
76105–327	Redevelopment Works – Location 7	0720	1520	480	2.0	100	0	<0.01
76105–328	Redevelopment Works – Location 8	0717	1517	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Pamela Mavroidis, Licensed Asbestos Assessor [SafeWork NSW Licence No LAA 002067].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 07, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	8 Filters
Date of Sampling:	06/03/25
Date of Analysis:	07/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully

AIRSAFE LABORATORIES PTY LTD

Pamela Mavroidis

Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works
JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–321	Redevelopment Works – Location 1	0813	1613	480	2.0	100	0	<0.01
76105–322	Redevelopment Works – Location 2	0814	1614	480	2.0	100	0	<0.01
76105–323	Redevelopment Works – Location 3	0825	1625	480	2.0	100	0	<0.01
76105–324	Redevelopment Works – Location 4	0826	1626	480	2.0	100	0	<0.01
76105–325	Redevelopment Works – Location 5	0820	1620	480	2.0	100	0	<0.01
76105–326	Redevelopment Works – Location 6	0830	1630	480	2.0	100	0	<0.01
76105–327	Redevelopment Works – Location 7	Monitor cancelled, missing and/ or stolen.						
76105–328	Redevelopment Works – Location 8	0828	1628	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Pamela Mavroidis, Licensed Asbestos Assessor [SafeWork NSW Licence No LAA 002067].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 10, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	07/03/25
Date of Analysis:	10/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully
AIRSAFE LABORATORIES PTY LTD

Pamela Mavroidis
Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–329	Redevelopment Works – Location 1	0703	1503	480	2.0	100	0	<0.01
76105–330	Redevelopment Works – Location 2	0704	1504	480	2.0	100	0	<0.01
76105–331	Redevelopment Works – Location 3	0705	1505	480	2.0	100	0	<0.01
76105–332	Redevelopment Works – Location 4	0707	1507	480	2.0	100	0	<0.01
76105–333	Redevelopment Works – Location 5	0647	1447	480	2.0	100	0	<0.01
76105–334	Redevelopment Works – Location 6	0711	1511	480	2.0	100	0	<0.01
76105–325	Redevelopment Works – Location 7	0712	1512	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Pamela Mavroidis, Licensed Asbestos Assessor [SafeWork NSW Licence No LAA 002067].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 11, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	10/03/25
Date of Analysis:	11/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully
AIRSAFE LABORATORIES PTY LTD

Pamela Mavroidis
Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works
JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–336	Redevelopment Works – Location 1	0732	1532	480	2.0	100	0	<0.01
76105–337	Redevelopment Works – Location 2	0733	1533	480	2.0	100	0	<0.01
76105–338	Redevelopment Works – Location 3	0734	1534	480	2.0	100	0	<0.01
76105–339	Redevelopment Works – Location 4	0736	1536	480	2.0	100	0	<0.01
76105–340	Redevelopment Works – Location 5	0748	1548	480	2.0	100	0	<0.01
76105–341	Redevelopment Works – Location 6	0755	1555	480	2.0	100	0	<0.01
76105–342	Redevelopment Works – Location 7	0756	1556	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Pamela Mavroidis, Licensed Asbestos Assessor [SafeWork NSW Licence No LAA 002067].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 12, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	11/03/25
Date of Analysis:	12/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully
AIRSAFE LABORATORIES PTY LTD

Pamela Mavroidis
Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works
JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–343	Redevelopment Works – Location 1	0640	1440	480	2.0	100	0	<0.01
76105–344	Redevelopment Works – Location 2	0642	1442	480	2.0	100	0	<0.01
76105–345	Redevelopment Works – Location 3	0649	1449	480	2.0	100	0	<0.01
76105–346	Redevelopment Works – Location 4	0650	1450	480	2.0	100	0	<0.01
76105–347	Redevelopment Works – Location 5	0645	1445	480	2.0	100	0	<0.01
76105–348	Redevelopment Works – Location 6	0655	1455	480	2.0	100	0	<0.01
76105–349	Redevelopment Works – Location 7	0658	1458	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Pamela Mavroidis, Licensed Asbestos Assessor [SafeWork NSW Licence No LAA 002067].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 13, 2025

CPB Contractors
2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	12/03/25
Date of Analysis:	13/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully
AIRSAFE LABORATORIES PTY LTD

Pamela Mavroidis
Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–343	Redevelopment Works – Location 1	0705	1505	480	2.0	100	0	<0.01
76105–344	Redevelopment Works – Location 2	0706	1506	480	2.0	100	0	<0.01
76105–345	Redevelopment Works – Location 3	0708	1508	480	2.0	100	0	<0.01
76105–346	Redevelopment Works – Location 4	0710	1510	480	2.0	100	0	<0.01
76105–347	Redevelopment Works – Location 5	0659	1459	480	2.0	100	0	<0.01
76105–348	Redevelopment Works – Location 6	0713	1513	480	2.0	100	0	<0.01
76105–349	Redevelopment Works – Location 7	0714	1514	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Pamela Mavroidis, Licensed Asbestos Assessor [SafeWork NSW Licence No LAA 002067].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 14, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	13/03/25
Date of Analysis:	14/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully
AIRSAFE LABORATORIES PTY LTD

Pamela Mavroidis
Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–350	Redevelopment Works – Location 1	0655	1455	480	2.0	100	0	<0.01
76105–351	Redevelopment Works – Location 2	0658	1458	480	2.0	100	0	<0.01
76105–352	Redevelopment Works – Location 3	0659	1559	480	2.0	100	0	<0.01
76105–353	Redevelopment Works – Location 4	0700	1500	480	2.0	100	0	<0.01
76105–354	Redevelopment Works – Location 5	0705	1505	480	2.0	100	0	<0.01
76105–355	Redevelopment Works – Location 6	0711	1511	480	2.0	100	0	<0.01
76105–356	Redevelopment Works – Location 7	0719	1519	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Pamela Mavroidis, Licensed Asbestos Assessor [SafeWork NSW Licence No LAA 002067].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 17, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	14/03/25
Date of Analysis:	17/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully

AIRSAFE LABORATORIES PTY LTD

Matthew Shaw

Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–357	Redevelopment Works – Location 1	0710	1510	480	2.0	100	0	<0.01
76105–358	Redevelopment Works – Location 2	0709	1509	480	2.0	100	0	<0.01
76105–359	Redevelopment Works – Location 3	0713	1513	480	2.0	100	0	<0.01
76105–360	Redevelopment Works – Location 4	0701	1501	480	2.0	100	0	<0.01
76105–361	Redevelopment Works – Location 5	0706	1506	480	2.0	100	0	<0.01
76105–362	Redevelopment Works – Location 6	0715	1515	480	2.0	100	0	<0.01
76105–363	Redevelopment Works – Location 7	0718	1518	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Nicholas Anastas, Consultant. Bachelor of Science [Biotechnology Science].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 18, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	17/03/25
Date of Analysis:	18/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully

AIRSAFE LABORATORIES PTY LTD

Matthew Shaw

Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–364	Redevelopment Works – Location 1	0705	1505	480	2.0	100	0	<0.01
76105–365	Redevelopment Works – Location 2	0705	1505	480	2.0	100	0	<0.01
76105–366	Redevelopment Works – Location 3	0704	1504	480	2.0	100	0	<0.01
76105–367	Redevelopment Works – Location 4	0703	1503	480	2.0	100	0	<0.01
76105–368	Redevelopment Works – Location 5	0709	1509	480	2.0	100	0	<0.01
76105–369	Redevelopment Works – Location 6	0715	1515	480	2.0	100	0	<0.01
76105–370	Redevelopment Works – Location 7	0701	1501	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Nicholas Anastas, Consultant. Bachelor of Science [Biotechnology Science].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 18, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	18/03/25
Date of Analysis:	19/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully

AIRSAFE LABORATORIES PTY LTD

Matthew Shaw

Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–371	Redevelopment Works – Location 1	0705	1505	480	2.0	100	0	<0.01
76105–372	Redevelopment Works – Location 2	0704	1504	480	2.0	100	0	<0.01
76105–373	Redevelopment Works – Location 3	0702	1502	480	2.0	100	0	<0.01
76105–374	Redevelopment Works – Location 4	0703	1503	480	2.0	100	0	<0.01
76105–375	Redevelopment Works – Location 5	0711	1511	480	2.0	100	0	<0.01
76105–376	Redevelopment Works – Location 6	0716	1516	480	2.0	100	0	<0.01
76105–377	Redevelopment Works – Location 7	0719	1519	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Nicholas Anastas, Consultant. Bachelor of Science [Biotechnology Science].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 20, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	19/03/25
Date of Analysis:	20/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully

AIRSAFE LABORATORIES PTY LTD

Matthew Shaw

Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–378	Redevelopment Works – Location 1	0712	1512	480	2.0	100	0	<0.01
76105–379	Redevelopment Works – Location 2	0711	1511	480	2.0	100	0	<0.01
76105–380	Redevelopment Works – Location 3	0704	1504	480	2.0	100	0	<0.01
76105–381	Redevelopment Works – Location 4	0703	1503	480	2.0	100	0	<0.01
76105–382	Redevelopment Works – Location 5	0707	1507	480	2.0	100	0	<0.01
76105–383	Redevelopment Works – Location 6	0717	1517	480	2.0	100	0	<0.01
76105–384	Redevelopment Works – Location 7	0702	1502	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Nicholas Anastas, Consultant. Bachelor of Science [Biotechnology Science].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 21, 2025

CPB Contractors
2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	20/03/25
Date of Analysis:	21/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully
AIRSAFE LABORATORIES PTY LTD

Matthew Shaw
Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–385	Redevelopment Works – Location 1	0713	1513	480	2.0	100	0	<0.01
76105–386	Redevelopment Works – Location 2	0712	1512	480	2.0	100	0	<0.01
76105–387	Redevelopment Works – Location 3	0715	1515	480	2.0	100	0	<0.01
76105–388	Redevelopment Works – Location 4	0704	1504	480	2.0	100	0	<0.01
76105–389	Redevelopment Works – Location 5	0708	1508	480	2.0	100	0	<0.01
76105–390	Redevelopment Works – Location 6	0717	1517	480	2.0	100	0	<0.01
76105–391	Redevelopment Works – Location 7	0716	1516	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Nicholas Anastas, Consultant. Bachelor of Science [Biotechnology Science].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 24, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	21/03/25
Date of Analysis:	24/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully

AIRSAFE LABORATORIES PTY LTD

Matthew Shaw

Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–392	Redevelopment Works – Location 1	0707	1507	480	2.0	100	0	<0.01
76105–393	Redevelopment Works – Location 2	0707	1507	480	2.0	100	0	<0.01
76105–394	Redevelopment Works – Location 3	0706	1506	480	2.0	100	0	<0.01
76105–395	Redevelopment Works – Location 4	0705	1505	480	2.0	100	0	<0.01
76105–396	Redevelopment Works – Location 5	0711	1511	480	2.0	100	0	<0.01
76105–397	Redevelopment Works – Location 6	0718	1518	480	2.0	100	0	<0.01
76105–398	Redevelopment Works – Location 7	0703	1503	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Nicholas Anastas, Consultant. Bachelor of Science [Biotechnology Science].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 25, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	24/03/25
Date of Analysis:	25/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully

AIRSAFE LABORATORIES PTY LTD

Matthew Shaw

Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–399	Redevelopment Works – Location 1	0708	1508	480	2.0	100	0	<0.01
76105–400	Redevelopment Works – Location 2	0708	1508	480	2.0	100	0	<0.01
76105–401	Redevelopment Works – Location 3	0707	1507	480	2.0	100	0	<0.01
76105–402	Redevelopment Works – Location 4	0706	1506	480	2.0	100	0	<0.01
76105–403	Redevelopment Works – Location 5	0712	1512	480	2.0	100	0	<0.01
76105–404	Redevelopment Works – Location 6	0701	1501	480	2.0	100	0	<0.01
76105–405	Redevelopment Works – Location 7	0702	1502	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Nicholas Anastas, Consultant. Bachelor of Science [Biotechnology Science].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 26, 2025

CPB Contractors
2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	25/03/25
Date of Analysis:	26/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully
AIRSAFE LABORATORIES PTY LTD

Matthew Shaw
Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–406	Redevelopment Works – Location 1	0710	1510	480	2.0	100	0	<0.01
76105–407	Redevelopment Works – Location 2	0710	1510	480	2.0	100	0	<0.01
76105–408	Redevelopment Works – Location 3	0703	1503	480	2.0	100	0	<0.01
76105–409	Redevelopment Works – Location 4	0702	1502	480	2.0	100	0	<0.01
76105–410	Redevelopment Works – Location 5	0706	1506	480	2.0	100	0	<0.01
76105–411	Redevelopment Works – Location 6	0659	1459	480	2.0	100	0	<0.01
76105–412	Redevelopment Works – Location 7	0701	1501	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Nicholas Anastas, Consultant. Bachelor of Science [Biotechnology Science].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 27, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	26/03/25
Date of Analysis:	27/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully

AIRSAFE LABORATORIES PTY LTD

Betty Yang

Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–413	Redevelopment Works – Location 1	0709	1509	480	2.0	100	0	<0.01
76105–414	Redevelopment Works – Location 2	0709	1509	480	2.0	100	0	<0.01
76105–415	Redevelopment Works – Location 3	0707	1507	480	2.0	100	0	<0.01
76105–416	Redevelopment Works – Location 4	0706	1506	480	2.0	100	0	<0.01
76105–417	Redevelopment Works – Location 5	0713	1513	480	2.0	100	0	<0.01
76105–418	Redevelopment Works – Location 6	0717	1717	480	2.0	100	0	<0.01
76105–419	Redevelopment Works – Location 7	0704	1504	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Nicholas Anastas, Consultant. Bachelor of Science [Biotechnology Science].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 28, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	27/03/25
Date of Analysis:	28/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully

AIRSAFE LABORATORIES PTY LTD

Betty Yang

Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–420	Redevelopment Works – Location 1	0635	1435	480	2.0	100	0	<0.01
76105–421	Redevelopment Works – Location 2	0635	1435	480	2.0	100	0	<0.01
76105–422	Redevelopment Works – Location 3	0634	1434	480	2.0	100	0	<0.01
76105–423	Redevelopment Works – Location 4	0633	1433	480	2.0	100	0	<0.01
76105–424	Redevelopment Works – Location 5	0639	1439	480	2.0	100	0	<0.01
76105–425	Redevelopment Works – Location 6	0631	1431	480	2.0	100	0	<0.01
76105–426	Redevelopment Works – Location 7	0645	1445	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Nicholas Anastas, Consultant. Bachelor of Science [Biotechnology Science].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

March 31, 2025

CPB Contractors

2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	28/03/25
Date of Analysis:	31/03/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully
AIRSAFE LABORATORIES PTY LTD

Betty Yang
Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–427	Redevelopment Works – Location 1	0706	1506	480	2.0	100	0	<0.01
76105–428	Redevelopment Works – Location 2	0705	1505	480	2.0	100	0	<0.01
76105–429	Redevelopment Works – Location 3	0704	1504	480	2.0	100	0	<0.01
76105–430	Redevelopment Works – Location 4	0703	1503	480	2.0	100	0	<0.01
76105–431	Redevelopment Works – Location 5	0710	1510	480	2.0	100	0	<0.01
76105–432	Redevelopment Works – Location 6	0700	1500	480	2.0	100	0	<0.01
76105–433	Redevelopment Works – Location 7	0701	1501	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Nicholas Anastas, Consultant. Bachelor of Science [Biotechnology Science].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.

TEST REPORT

April 1, 2025

CPB Contractors
2 & 4/177 Pacific Hwy,
North Sydney NSW 2060

Your Reference: Royal Prince Alfred Hospital – Redevelopment Works
Job Number: 76105

Attention: Zach Foster

Dear Zach,

In accordance with your instructions, Airsafe conducted air monitoring for airborne asbestos fibres at the above site.

The following samples were processed on the dates indicated.

Samples:	7 Filters
Date of Sampling:	31/03/25
Date of Analysis:	01/04/25
Date of Preliminary Report Sent:	Not Issued

The results are contained in the following pages of this report.

Should you have any queries regarding this report please contact the undersigned.

Yours faithfully
AIRSAFE LABORATORIES PTY LTD

Matthew Shaw
Approved Counter and Signatory

PROJECT: Royal Prince Alfred Hospital – Redevelopment Works

JOB NO: 76105

Sample No	Location/Reference	Time		Total Time [min]	Air Flow Average [L/min]	Fields	Fibres	Concentration (Fibres/mL)
		On	Off					
76105–434	Redevelopment Works – Location 1	0707	1507	480	2.0	100	0	<0.01
76105–435	Redevelopment Works – Location 2	0707	1507	480	2.0	100	0	<0.01
76105–436	Redevelopment Works – Location 3	0706	1506	480	2.0	100	0	<0.01
76105–437	Redevelopment Works – Location 4	0705	1505	480	2.0	100	0	<0.01
76105–438	Redevelopment Works – Location 5	0712	1512	480	2.0	100	0	<0.01
76105–439	Redevelopment Works – Location 6	0702	1502	480	2.0	100	0	<0.01
76105–440	Redevelopment Works – Location 7	0718	1518	480	2.0	100	0	<0.01

Method: Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)] and in-house method AS101 – Membrane Filter Method for Estimating Airborne Asbestos Fibres.

Sampling: All samples have been taken by Airsafe personnel in accordance with the sampling plan detailed in method AS101.

Location of Laboratory Activities: Level 1, 488 Botany Road, Beaconsfield NSW 2015 Australia.

Quality Control: A field blank is taken and analysed for each batch of samples.

Environmental Conditions: Background air monitoring during removal works.

Comment: These calculated concentrations are less than the reporting limit of 0.01 fibres/mL for control and exposure monitoring as stated in the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC: 3003 (2005)].

Disclaimer: N/A

Sampled By: Nicholas Anastas, Consultant. Bachelor of Science [Biotechnology Science].

Note: The measured results fall within a 95% confidence interval (calculated using a coverage factor of 2) in accordance with the NOHSC:3003(2005). The results relate only to the samples tested.

NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration, inspection, proficiency testing scheme providers and reference materials producers reports and certificates.

Airsafe shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Airsafe be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report.

Any other holder of this document is advised that information contained hereon reflects Airsafe's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Airsafe's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents.

SITE MAP




Figure 1. Air Monitoring Location.