

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

01 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.282-AAM1.v1-01/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 01/02/2023
Sample Analysis Date: 01/02/2023
Period of Sampling: 01/02/2023 06:40 AM - 01/02/2023 01:47 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.282/6648/010223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.282/S1037/010223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.282/S601/010223	MSCP site, temp fencing in middle of site, between clean and dirty zone	1.0/100	<0.01
S110355.282/S1019/010223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.282/S591/010223	MSCP site, adj to Redbank Rd, temp fencing, between clean and dirty zone	3.0/100	<0.01
S110355.282/S539/010223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.282/S482/010223	PSB site, western end, fencing along CASB loading dock	1.0/100	<0.01
S110355.282/S335/010223	PSB site, eastern corner, temp fencing in site, facing West	0.0/100	<0.01
S110355.282/6290/010223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.282/S592/010223	PSB site, northern end, temp fencing between clean and dirt zone	1.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

01 February 2023

S110355.282/S231/010223	Mons Road, before boom gate, fencing	1.0/100	<0.01
S110355.282/S1035/010223	Mons Road, entry point	0.0/100	<0.01
S110355.282/S899/010223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

01 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

01 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

01 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

02 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.283-AAM1.v1-02/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 02/02/2023
Sample Analysis Date: 02/02/2023
Period of Sampling: 02/02/2023 06:40 AM - 02/02/2023 01:51 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092

Site number: 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.283/S183/020223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.283/S1047/020223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.283/S595/020223	MSCP site, temp fencing in middle of site, between clean and dirty zone	1.0/100	<0.01
S110355.283/S1042/020223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.283/S1041/020223	MSCP site, adj to Redbank Rd, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.283/S1013/020223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.283/6323/020223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.283/S220/020223	PSB site, eastern corner, temp fencing in site, facing West	0.0/100	<0.01
S110355.283/S1049/020223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.283/S525/020223	PSB site, northern end, temp fencing between clean and dirt zone	1.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

02 February 2023

S110355.283/S224/020223	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.283/S160/020223	Mons Road, entry point	0.0/100	<0.01
S110355.283/S520/020223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

02 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

02 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

02 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

03 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.284-AAM1.v1-03/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 03/02/2023
Sample Analysis Date: 03/02/2023
Period of Sampling: 03/02/2023 06:40 AM - 03/02/2023 01:42 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.284/5703/030223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	1.0/100	<0.01
S110355.284/S1045/030223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.284/S1026/030223	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.284/3385/030223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.284/S1043/030223	MSCP site, adj to Redbank Rd, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.284/3360/030223	PSB site, northern end, fencing along Redbank Rd	1.0/100	<0.01
S110355.284/S1050/030223	PSB site, western end, fencing along CASB loading dock	1.0/100	<0.01
S110355.284/S1046/030223	PSB site, eastern corner, temp fencing in site, facing West	0.0/100	<0.01
S110355.284/S1044/030223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.284/S808/030223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

03 February 2023

S110355.284/S466/030223	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.284/S548/030223	Mons Road, entry point	0.0/100	<0.01
S110355.284/S503/030223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

03 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

03 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

03 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

06 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.285-AAM1.v1-04/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 04/02/2023
Sample Analysis Date: 06/02/2023
Period of Sampling: 04/02/2023 06:40 AM - 04/02/2023 02:40 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092

Site number: 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.285/S135/040223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	1.0/100	<0.01
S110355.285/3082/040223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.285/S1014/040223	MSCP site, temp fencing in middle of site, between clean and dirty zone	1.0/100	<0.01
S110355.285/6293/040223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.285/S159/040223	MSCP site, adj to Redbank Rd, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.285/5435/040223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.285/S469/040223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.285/S307/040223	PSB site, eastern corner, temp fencing in site, facing West	1.0/100	<0.01
S110355.285/3546/040223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.285/S757/040223	PSB site, northern end, temp fencing between clean and dirt zone	1.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

06 February 2023

S110355.285/S113/040223	Mons Road, before boom gate, fencing	1.0/100	<0.01
S110355.285/S058/040223	Mons Road, entry point	1.0/100	<0.01
S110355.285/S098/040223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

06 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

06 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

06 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

06 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.286-AAM1.v1-06/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 06/02/2023
Sample Analysis Date: 06/02/2023
Period of Sampling: 06/02/2023 06:30 AM - 06/02/2023 01:34 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.286/S918/060223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.286/S481/060223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.286/S132/060223	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.286/S1001/060223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.286/S155/060223	MSCP site, adj to Redbank Rd, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.286/S1048/060223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.286/S101/060223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.286/S603/060223	PSB site, eastern corner, temp fencing in site, facing West	0.0/100	<0.01
S110355.286/S732/060223	PSB site, fencing behind site sheds	2.0/100	<0.01
S110355.286/3292/060223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

06 February 2023

S110355.286/9267/060223	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.286/S998/060223	Mons Road, entry point	1.0/100	<0.01
S110355.286/S947/060223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

06 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

06 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

06 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

07 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.287-AAM1.v1-07/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 07/02/2023
Sample Analysis Date: 07/02/2023
Period of Sampling: 07/02/2023 06:40 AM - 07/02/2023 01:22 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.287/S233/070223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.287/S935/070223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.287/S489/070223	MSCP site, temp fencing in middle of site, between clean and dirty zone	2.0/100	<0.01
S110355.287/S087/070223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.287/S154/070223	MSCP site, adj to Redbank Rd, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.287/S515/070223	PSB site, northern end, fencing along Redbank Rd	1.0/100	<0.01
S110355.287/S588/070223	PSB site, western end, fencing along CASB loading dock	1.0/100	<0.01
S110355.287/S850/070223	PSB site, eastern corner, temp fencing in site, facing West	0.0/100	<0.01
S110355.287/S197/070223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.287/S797/070223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

07 February 2023

S110355.287/S534/070223	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.287/S807/070223	Mons Road, entry point	1.0/100	<0.01
S110355.287/S106/070223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

07 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

07 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

07 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

08 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.288-AAM1.v1-08/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 08/02/2023
Sample Analysis Date: 08/02/2023
Period of Sampling: 08/02/2023 06:40 AM - 08/02/2023 01:49 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092

Site number: 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.288/S620/080223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	1.0/100	<0.01
S110355.288/S518/080223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	2.0/100	<0.01
S110355.288/8656/080223	MSCP site, temp fencing in middle of site, between clean and dirty zone	2.0/100	<0.01
S110355.288/S1020/080223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.288/3303/080223	MSCP site, adj to Redbank Rd, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.288/S074/080223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.288/S1039/080223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.288/S909/080223	PSB site, eastern corner, temp fencing in site, facing West	0.0/100	<0.01
S110355.288/3215/080223	PSB site, fencing behind site sheds	1.0/100	<0.01
S110355.288/S793/080223	PSB site, northern end, temp fencing between clean and dirt zone	1.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

08 February 2023

S110355.288/5421/080223	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.288/S087/080223	Mons Road, entry point	0.0/100	<0.01
S110355.288/S332/080223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

08 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

08 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

08 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.289-AAM1.v1-09/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 09/02/2023
Sample Analysis Date: 09/02/2023
Period of Sampling: 09/02/2023 06:40 AM - 09/02/2023 01:37 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.289/S821/090223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	1.0/100	<0.01
S110355.289/6305/090223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.289/S629/090223	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.289/S168/090223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.289/S822/090223	MSCP site, adj to Redbank Rd, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.289/S824/090223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.289/S229/090223	PSB site, western end, fencing along CASB loading dock	1.0/100	<0.01
S110355.289/2043/090223	PSB site, eastern corner, temp fencing in site, facing West	0.0/100	<0.01
S110355.289/S195/090223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.289/S958/090223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 February 2023

S110355.289/S490/090223	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.289/6255/090223	Mons Road, entry point	0.0/100	<0.01
S110355.289/S989/090223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

09 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

10 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.290-AAM1.v1-10/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 10/02/2023
Sample Analysis Date: 10/02/2023
Period of Sampling: 10/02/2023 06:40 AM - 10/02/2023 13:49 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.290/6338/100223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.290/6558/100223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	1.0/100	<0.01
S110355.290/3198/100223	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.290/S090/100223	MSCP site, northwest, fencing along Redbank Rd	2.0/100	<0.01
S110355.290/3491/100223	MSCP site, adj to Redbank Rd, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.290/S740/100223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.290/S583/100223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.290/S387/100223	PSB site, eastern corner, temp fencing in site, facing West	0.0/100	<0.01
S110355.290/S891/100223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.290/S492/100223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

10 February 2023

S110355.290/S1003/100223	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.290/5507/100223	Mons Road, entry point	1.0/100	<0.01
S110355.290/S852/100223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

10 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

10 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

10 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

13 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.291-AAM1.v1-11/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 11/02/2023
Sample Analysis Date: 13/02/2023
Period of Sampling: 11/02/2023 06:40 AM - 11/02/2023 02:40 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.291/S210/110223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.291/S933/110223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.291/S701/110223	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.291/S1006/110223	MSCP site, northwest, fencing along Redbank Rd	1.0/100	<0.01
S110355.291/S186/110223	MSCP site, adj to Redbank Rd, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.291/S1002/110223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.291/S501/110223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.291/S580/110223	PSB site, eastern corner, temp fencing in site, facing West	0.0/100	<0.01
S110355.291/S777/110223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.291/5427/110223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

13 February 2023

S110355.291/S576/110223	Mons Road, before boom gate, fencing	1.0/100	<0.01
S110355.291/S234/110223	Mons Road, entry point	0.0/100	<0.01
S110355.291/S619/110223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

13 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

13 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

13 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

13 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.292-AAM1.v1-13/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 13/02/2023
Sample Analysis Date: 13/02/2023
Period of Sampling: 13/02/2023 07:39 AM - 13/02/2023 02:43 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.292/S890/130223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.292/0392/130223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.292/S528/130223	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.292/3459/130223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.292/S1040/130223	MSCP site, adj to Redbank Rd, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.292/S987/130223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.292/S153/130223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.292/3323/130223	PSB site, eastern corner, temp fencing in site, facing West	0.0/100	<0.01
S110355.292/S205/130223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.292/5406/130223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

13 February 2023

S110355.292/S512/130223	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.292/S337/130223	Mons Road, entry point	0.0/100	<0.01
S110355.292/S280/130223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

13 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

13 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

13 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

14 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.293-AAM1.v1-14/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 14/02/2023
Sample Analysis Date: 14/02/2023
Period of Sampling: 14/02/2023 06:40 AM - 14/02/2023 02:29 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.293/S515/140223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	1.0/100	<0.01
S110355.293/S083/140223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.293/S154/140223	MSCP site, southwestern end, adj to Kane sheds	0.0/100	<0.01
S110355.293/S799/140223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.293/S123/140223	MSCP site, South end, adj to footpath	0.0/100	<0.01
S110355.293/2042/140223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.293/S974/140223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.293/S800/140223	PSB site, eastern corner, temp fencing in site, facing West	0.0/100	<0.01
S110355.293/5819/140223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.293/S469/140223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01
S110355.293/3065/140223	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.293/S159/140223	Mons Road, entry point	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

14 February 2023

S110355.293/S332/140223	Field Blank	0.0/100	NA
-------------------------	-------------	---------	----

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

14 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

14 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

14 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

15 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.294-AAM1.v1-15/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 15/02/2023
Sample Analysis Date: 15/02/2023
Period of Sampling: 15/02/2023 06:40 AM - 15/02/2023 01:53 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.294/S518/150223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.294/S582/150223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	1.0/100	<0.01
S110355.294/S014/150223	MSCP site, southwestern end, adj to Kane sheds, lift pit	0.0/100	<0.01
S110355.294/4123/150223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.294/S500/150223	MSCP site, South end, adj to footpath, lift pit	0.0/100	<0.01
S110355.294/3303/150223	PSB site, northern end, fencing along Redbank Rd	2.0/100	<0.01
S110355.294/S052/150223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.294/S979/150223	PSB site, temp fencing, middle of site, between clean and dirt zone	1.0/100	<0.01
S110355.294/S466/150223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.294/S747/150223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01
S110355.294/S509/150223	Mons Road, before boom gate, fencing	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

15 February 2023

S110355.294/S754/150223	Mons Road, entry point	0.0/100	<0.01
S110355.294/3216/150223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph
Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

15 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

15 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

15 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.295-AAM1.v1-16/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 16/02/2023
Sample Analysis Date: 16/02/2023
Period of Sampling: 16/02/2023 06:40 AM - 16/02/2023 02:11 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.295/S945/160223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.295/S240/160223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.295/3215/160223	MSCP site, southwestern end, adj to Kane sheds, lift pit	0.0/100	<0.01
S110355.295/S222/160223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.295/2117/160223	MSCP site, South end, adj to footpath, lift pit	0.0/100	<0.01
S110355.295/S1004/160223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.295/8656/160223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.295/S807/160223	PSB site, temp fencing, middle of site, between clean and dirt zone	0.0/100	<0.01
S110355.295/S935/160223	PSB site, fencing behind site sheds	1.0/100	<0.01
S110355.295/S1021/160223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01
S110355.295/S489/160223	Mons Road, before boom gate, fencing	1.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 February 2023

S110355.295/S802/160223	Mons Road, entry point	0.0/100	<0.01
S110355.295/S534/160223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

16 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

17 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.296-AAM1.v1-17/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 17/02/2023
Sample Analysis Date: 17/02/2023
Period of Sampling: 17/02/2023 06:40 AM - 17/02/2023 01:57 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.296/8983/170223	MSCP site, Western end, between stockpile and footpath	0.0/100	<0.01
S110355.296/S1031/170223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.296/S308/170223	MSCP site, southwestern end, adj to Kane sheds, lift pit	0.0/100	<0.01
S110355.296/S724/170223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.296/5793/170223	MSCP site, South end, adj to footpath, lift pit	0.0/100	<0.01
S110355.296/S978/170223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.296/S620/170223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.296/S571/170223	PSB site, temp fencing, middle of site, between clean and dirt zone	0.0/100	<0.01
S110355.296/S106/170223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.296/5410/170223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01
S110355.296/S169/170223	Mons Road, before boom gate, fencing	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

17 February 2023

S110355.296/S016/170223	Mons Road, entry point	1.0/100	<0.01
S110355.296/S909/170223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph
Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

17 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

17 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

17 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.297-AAM1.v1-18/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 18/02/2023
Sample Analysis Date: 18/02/2023
Period of Sampling: 18/02/2023 06:40 AM - 18/02/2023 02:40 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.297/S1018/180223	MSCP site, Western end, between stockpile and footpath	0.0/100	<0.01
S110355.297/S1054/180223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.297/3336/180223	MSCP site, southwestern end, adj to Kane sheds, lift pit	0.0/100	<0.01
S110355.297/S102/180223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.297/S898/180223	MSCP site, South end, adj to footpath, lift pit	0.0/100	<0.01
S110355.297/S1052/180223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.297/S511/180223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.297/S961/180223	PSB site, temp fencing, middle of site, between clean and dirt zone	0.0/100	<0.01
S110355.297/S103/180223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.297/S597/180223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01
S110355.297/2048/180223	Mons Road, before boom gate, fencing	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 February 2023

S110355.297/S1015/180223	Mons Road, entry point	0.0/100	<0.01
S110355.297/S1012/180223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph
Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.298-AAM1.v1-20/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 20/02/2023
Sample Analysis Date: 20/02/2023
Period of Sampling: 20/02/2023 06:40 AM - 09/02/2023 01:57 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092

Site number: 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.298/S941/200223	MSCP site, southwestern end, adj small courtyard, between stockpile and public	0.0/100	<0.01
S110355.298/S895/200223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.298/S192/200223	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.298/S005/200223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.298/3255/200223	MSCP site, adj to Redbank Rd, temp fencing, between clean and dirty zone	0.0/100	<0.01
S110355.298/S1016/200223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.298/S574/200223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.298/7613/200223	PSB site, eastern corner, temp fencing in site, facing West	0.0/100	<0.01
S110355.298/S817/200223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.298/S007/200223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 February 2023

S110355.298/S529/200223	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.298/5839/200223	Mons Road, entry point	0.0/100	<0.01
S110355.298/0604/200223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

20 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

21 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.299-AAM1.v1-21/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 21/02/2023
Sample Analysis Date: 21/02/2023
Period of Sampling: 21/02/2023 06:40 AM - 21/02/2023 01:34 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.299/S1023/210223	MSCP site, Western end, between stockpile and footpath	0.0/100	<0.01
S110355.299/S1026/210223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.299/3292/210223	MSCP site, southwestern end, adj to Kane sheds, lift pit	0.0/100	<0.01
S110355.299/S135/210223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.299/S053/210223	MSCP site, South end, adj to footpath, lift pit	0.0/100	<0.01
S110355.299/S1017/210223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.299/S1051/210223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.299/S934/210223	PSB site, temp fencing, middle of site, between clean and dirt zone	0.0/100	<0.01
S110355.299/S1053/210223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.299/3530/210223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01
S110355.299/S1038/210223	Mons Road, before boom gate, fencing	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

21 February 2023

S110355.299/S590/210223	Mons Road, entry point	0.0/100	<0.01
S110355.299/5421/210223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

21 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

21 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

21 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

22 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.300-AAM1.v1-22/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 22/02/2023
Sample Analysis Date: 22/02/2023
Period of Sampling: 22/02/2023 06:40 AM - 22/02/2023 14:12 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.300/S986/220223	MSCP site, western end, between stockpile and footpath	Rejected: Damaged filter	
S110355.300/S855/220223	MSCP site, north temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.300/S1036/220223	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.300/6480/220223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.300/3249/220223	MSCP site, northwest end, between stockpile and footpath	0.0/100	<0.01
S110355.300/S1027/220223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.300/S778/220223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.300/5489/220223	PSB site, temp fencing, middle of site, between clean and dirt zone	0.0/100	<0.01
S110355.300/S911/220223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.300/S408/220223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

22 February 2023

S110355.300/S971/220223	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.300/S199/220223	Mons Road, entry point	0.0/100	<0.01
S110355.300/S501/220223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

22 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

22 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

22 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

23 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.301-AAM1.v1-23/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 23/02/2023
Sample Analysis Date: 23/02/2023
Period of Sampling: 23/02/2023 06:40 AM - 23/02/2023 01:26 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.301/3198/230223	MSCP site, western end, between stockpile and footpath	0.0/100	<0.01
S110355.301/S583/230223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.301/S101/230223	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.301/S832/230223	MSCP site, northwest end, between stockpile and footpath	0.0/100	<0.01
S110355.301/5507/230223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.301/S1022/230223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.301/S090/230223	PSB site, western end, fencing along CASB loading dock	1.0/100	<0.01
S110355.301/S1055/230223	PSB site, temp fencing, middle of site, between clean and dirt zone	0.0/100	<0.01
S110355.301/S492/230223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.301/S822/230223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

23 February 2023

S110355.301/3491/230223	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.301/2043/230223	Mons Road, entry point	0.0/100	<0.01
S110355.301/S387/230223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

23 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

23 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

23 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

24 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.302-AAM1.v1-24/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 24/02/2023
Sample Analysis Date: 24/02/2023
Period of Sampling: 24/02/2023 06:40 AM - 24/02/2023 01:31 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.302/S852/240223	MSCP site, western end, between stockpile and footpath	0.0/100	<0.01
S110355.302/S1003/240223	MSCP site, north temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.302/S210/240223	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.302/S186/240223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.302/S195/240223	MSCP site, northwest end, between stockpile and footpath	0.0/100	<0.01
S110355.302/S958/240223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.302/6255/240223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.302/S234/240223	PSB site, temp fencing, middle of site, between clean and dirt zone	0.0/100	<0.01
S110355.302/6305/240223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.302/S576/240223	PSB site, northern end, temp fencing between clean and dirt zone	1.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

24 February 2023

S110355.302/S740/240223	Mons Road, before boom gate, fencing	1.0/100	<0.01
S110355.302/S580/240223	Mons Road, entry point	0.0/100	<0.01
S110355.302/S482/240223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

24 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

24 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

24 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

27 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.304-AAM1.v1-25/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 25/02/2023
Sample Analysis Date: 27/02/2023
Period of Sampling: 25/02/2023 06:40 AM - 25/02/2023 02:40 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.304/3486/250223	MSCP site, western end, between stockpile and footpath	0.0/100	<0.01
S110355.304/S1001/250223	MSCP site, North temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.304/S894/250223	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.304/3546/250223	MSCP site, northwest end, between stockpile and footpath	0.0/100	<0.01
S110355.304/S1014/250223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.304/S732/250223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.304/5427/250223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.304/S599/250223	PSB site, temp fencing, middle of site, between clean and dirt zone	0.0/100	<0.01
S110355.304/S492/250223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.304/3082/250223	PSB site, northern end, temp fencing between clean and dirt zone	1.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

27 February 2023

S110355.304/6530/250223	Mons Road, before boom gate, fencing	1.0/100	<0.01
S110355.304/S176/250223	Mons Road, entry point	0.0/100	<0.01
S110355.304/S1046/250223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

27 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

27 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

27 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

27 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.305-AAM1.v1-27/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 27/02/2023
Sample Analysis Date: 27/02/2023
Period of Sampling: 27/02/2023 06:40 AM - 27/02/2023 02:08 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.305/6016/270223	MSCP site, western end, between stockpile and footpath	0.0/100	<0.01
S110355.305/S104/270223	MSCP site, north temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.305/S140/270223	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.305/S793/270223	MSCP site, northwest, fencing along Redbank Rd	0.0/100	<0.01
S110355.305/S252/270223	MSCP site, northwest end, between stockpile and footpath	0.0/100	<0.01
S110355.305/S1050/270223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.305/S716/270223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.305/S962/270223	PSB site, temp fencing, middle of site, between clean and dirt zone	0.0/100	<0.01
S110355.305/S1039/270223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.305/3193/270223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

27 February 2023

S110355.305/S1032/270223	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.305/S946/270223	Mons Road, entry point	0.0/100	<0.01
S110355.305/S097/270223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

27 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

27 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

27 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

28 February 2023

Attention: Danny Khal
Company: Ford Civil Contracting Pty Ltd
Email: danny.khal@fordcivil.com.au
Address: 9 Hattersley Street, Arncliffe NSW 2205

SWE Report Reference: S110355.306-AAM1.v1-28/02/2023
Site Address: MSCP and PSB, Westmead Hospital
Sampling Date: 28/02/2023
Sample Analysis Date: 28/02/2023
Period of Sampling: 28/02/2023 06:40 AM - 28/02/2023 01:42 PM
Scope of Work: Air Monitoring during civil works of asbestos impacted soils
SWE Laboratory: Suite 15, 103 Majors Bay Road, Concord NSW 2137

Accreditation number: 17092 **Site number:** 18665

1. Introduction: Control monitoring for airborne asbestos fibres was undertaken by Safe Work and Environments Pty Ltd (SWE) is used to verify the effectiveness of control measures implemented to prevent fibre release as a result of asbestos removal/related work.

2. Methods: Airborne asbestos fibre monitoring was carried out in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres, 2nd Edition [NOHSC:3003 (2005)] and SWE's In-House Method 2 – Volume Measurement, Calibration and Standardisation. Analysis of collected filter membrane samples was performed in accordance with NOHSC:3003 (2005) and SWE's In-House Method 1 – Asbestos Fibre Count and Mount.

3. Results:

SWE REF.	LOCATION OF SAMPLE	FIBRES/ FIELDS	CONCENTRATION (FIBRES/mL)
S110355.306/3215/280223	MSCP site, western end, between stockpile and footpath	0.0/100	<0.01
S110355.306/S620/280223	MSCP site, north temp fencing in middle of site, between clean and dirty zone	1.0/100	<0.01
S110355.306/S222/280223	MSCP site, temp fencing in middle of site, between clean and dirty zone	0.0/100	<0.01
S110355.306/3065/280223	MSCP site, northwest end, between stockpile and footpath	0.0/100	<0.01
S110355.306/S418/280223	MSCP site, northwest, fencing along Redbank Rd	1.0/100	<0.01
S110355.306/S106/280223	PSB site, northern end, fencing along Redbank Rd	0.0/100	<0.01
S110355.306/S909/280223	PSB site, western end, fencing along CASB loading dock	0.0/100	<0.01
S110355.306/S089/280223	PSB site, temp fencing, middle of site, between clean and dirt zone	3.0/100	<0.01
S110355.306/S119/280223	PSB site, fencing behind site sheds	0.0/100	<0.01
S110355.306/6568/280223	PSB site, northern end, temp fencing between clean and dirt zone	0.0/100	<0.01

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

28 February 2023

S110355.306/S770/280223	Mons Road, before boom gate, fencing	0.0/100	<0.01
S110355.306/8972/280223	Mons Road, entry point	0.0/100	<0.01
S110355.306/S850/280223	Field Blank	0.0/100	NA

4. Conclusion: All air monitoring analytical results reported on in this report are below the lowest detectable level of 0.01 fibres/mL of air.

Analysed and reported by:



Rune Knoph

Approved Issuer of Reports

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

28 February 2023

APPENDIX A – MONITOR LOCATIONS

CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

28 February 2023



CONTROL AIR MONITORING FOR ASBESTOS FIBRES RESULTS

28 February 2023

